### APPENDIX N EXTERNAL INTERFACE TAPE SPECIFICATIONS

# EXTERNAL INTERFACE TAPE SPECIFICATIONS TABLE OF CONTENTS

	SOURCE DATA SPECIFICATIONS FOR U.S.
N - TD - 1	TREASURY DEPARTMENT INTERFACE TAPES
N - EFT - 1	EFT TAPE
N - NONEFT - 1	NON EFT TAPE
N-LTC-1	LTC
N - SSA - 1	SOURCE DATA SPECIFICATIONS FOR SOCIAL SECURITY ADMINISTRATION INTERFACE TAPES
N - TSP- 1	SOURCE DATA SPECIFICATIONS FOR USDA NATIONAL FINANCE CENTER THRIFT SAVINGS PLAN DATASET
N - NEBA - 1	SOURCE DATA SPECIFICATIONS FOR NEBA INTERFACE TAPES
N - NEWHIRE - 1	SOURCE DATA SPECIFICATIONS FOR NATIONAL DIRECTORY OF NEW HIRES/CHILD SUPPORT ENFORCEMENT/HHS BIWEEKLY NEW HIRES FILE
N - QWAGE - 1	SOURCE DATA SPECIFICATIONS FOR NATIONAL DIRECTORY OF NEW HIRES/CHILD SUPPORT ENFORCEMENT/HHS QUARTERLY WAGES FILE
N - CAQTD - 1	SOURCE DATA SPECIFICATIONS FOR CALIFORNIA STATE OF NEW HIRES/CHILD QTD INTERFACE QTD INTERFACE FILE
	SOURCE DATA SPECIFICATION FOR FEDERAL RESERVE BANK-PITTSBURG NDM DATASET
N - BOND - 1	BOND TAPE
N - TVL - 1	SOURCE DATA SPECIFICATIONS FOR TRAVEL MANAGER/NPPS DATA EXTRACT
N-FEHR/CI ER-1	FEHR/CLER ENROLLMENT FILE

SOURCE DATA SPECIFICATIONS FOR NASA WEB- BASED TIME AND ATTENDANCE DISTRIBUTION	
SYSTEM (WEBTADS) INTERFACE DATA	N-WEBTADS-1
SOURCE DATA SPECIFICATIONS FOR LTC STATUS FILE	N-STS-1
SOURCE DATA SPECIFICATIONS FOR LTC BILLING FILE	
	N-LTC-BILL-1
SOURCE DATA SPECIFICATIONS FOR MARYLAND STATE W-2 INTERFACE FILE	N – MDW2 - 1

### SOURCE DATA SPECIFICATIONS FOR U.S. TREASURY DEPARTMENT INTERFACE TAPES

### **Tape Specifications**

Таре	Tape Density	Rec Size	Blk Size	Rec Type	JCL-ENTERED-LABEL	* = Major sort Record-sequence
EFT	1600	160	1600	FB	NASA.SALARY	Employee SSN within *EFT routing-number
						One header and one trailer record
Non-EFT	1600	74- 204	1860	VB	REGULAR.SALY.NASA	SSN within *line codes
		204				Two trailer data records
LTC		88		FB	LTC.BILLING.NASA	SSN within ALC

**Note**: The record sizes for Variable Blocked (VB) records include the 4 bytes used by the operation system that gives the record length.

SOURCE DATA SPECIFICATIONS FOR U.S. TREASURY DEPARTMENT INTERFACE TAPES (EFT TAPE)

## NET PAY/ALLOTMENT RECORD (Direct Deposit)

Field				
Number	Length	Column	Source Data Field	Remarks
1	9	1-9	SSN / EIN FSA = EIN	
2	1	10	Record code	Always "A"; system generated
3	8	11-18	Amount  Net = NET EARNINGS: B/W  Allot = VOLUNTARY ALLOT: REQ'ST  AMT (1-2)  Loan = MER-TSP-LOAN-DED-AMT (1)  + TSP: LOAN 1 ADJUSTMENT  Or = MER-TSP-LOAN-DED-AMT (2)  + TSP: LOAN 2 ADJUSTMENT	Signed
			FSA = PAY-CUR-DOL(85) + PAY-CUR-DOL(86)	
4	1	19	Line code	"S" = Net pay "A" = Allotment; system generated
5	8	20-27	INSTALLATION: PAYROLL OFFICE NUM	
6	25	28-52	NAME: FIRST MI. LAST (22 characters followed by 3 spaces) For TSP loan name = NATL FINANCE CENTER For FSA HC or DC use SHPS People Technology	Name or NATL FINANCE CENTER or SHPS People Technology
7	1	53	ACCOUNT TYPE: EFT  Net = PAY-ADDR-ACCT-TYPE  Allot = PAY-VOL-ALLOT-A-TYPE  PAY-VOL-ALLOT-B-TYPE  Loan = S	"C" = Checking "S" = Savings
			FSA = C	
8	9	54-62	FINANCIAL INST ROUTING NBR  Net = PAY-ADDR-INST-NBR  Allot = PAY-VOL-ALLOT-INST (1-2)  Loan = MER-TSP-LOAN-INST (1-2)	Includes check digit
			FSA = 'SHPS People Technology' bank Routing Number	
9	17	63-79	ACCOUNT NUMBER  Net = NET-PAY-ADDR-ACCT-NBR  Allot = PAY-VOL-ALLOT-ACCT-NBR  (1-2)	

N-EFT-1

## NET PAY/ALLOTMENT RECORD (Direct Deposit)

Field Number	Length	Column	Source Data Field	Remarks
			Loan = MER-TSP-LOAN-ACCT-NBR (1-2)	
			FSA = 'SHPS People Technology' Account Number	
10	4	80-83	Center Number	
11	77	84-160	Blank	

## EFT Header Record (Direct Deposit)

Field			(= = = = = = = = = = = = = = = = = =	
Number	Length	Column	Source Data Field	Remarks
1	4	1-4	Record ID	Always "DHDR"; system generated
2	16	5-20	Blank	
3	10	21-30	File ID	Always "NASASALARY"; system generated
4	5	31-35	Creation date Gregorian date (YYDDD)	From the NATURAL system (*DATJ)
5	5	36-40	Blank	
6	20	41-60	Agency name	First 20 characters of INSTALL-NAME
7	12	61-72	Agency telephone number INSTALL-TSP-CONTACT-PHONE	
8	6	73-78	DD/EFT Agency ID	Always "FEDSAL"; system generated
9	82	79-89	Schedule Number	1-2: P- 3-4: CTL-Date Year (YY) 5: - 6-7: CTL-Period 8: A 9-11: Blank
10	10	90-99	Blank	For consolidated, else blank; system generated
11	8		ALC	99000001 for consolidated, else blank; system generated
12	1	108	Blank	
13	11	109-119	Schedule Number	1-2: P- 3-4: CTL-Date Year (YY) 5: - 6-7: CTL-Period 8: A 9-11: Blank For consolidated, else blank; system generated
14	41	120	Blank	

## EFT Trailer Record (Direct Deposit)

Field			. ,	
Number	Length	Column	Source Data Field	Remarks
1	4	1-4	Record ID	Always "DEOR"; system generated
2	6	5-10	Blank	System calculated
3	10	11-20	Record Count	
4	9	21-29	Blank	System calculated
5	11	30-40	Total Amount	
6	62	41-102	Blank	
7	8	103-110	ALC	99000001 for consolidated, else blank; system generated
8	1	111	Blank	
9	11	112-122	Schedule Number	1-2: P- 3-4: CTL-Date Year (YY) 5: - 6-7: CTL-Period 8: A 9-11: Blank For consolidated, else blank; system generated
10	38	123-160	Blank	

SOURCE DATA SPECIFICATIONS FOR U.S. TREASURY DEPARTMENT INTERFACE TAPES (NON-EFT TAPE)

### **Non-EFT Header Record**

Field				
Number	Length	Column	Source Data Field	Remarks
1	8	1-8		99000001 system generated
2	1	9	Blank	
3	1	10		Always 'E'; system generated
4	11	11-21	Schedule Number	1-2: P- 3-4: CTL-Date Year (YY) 5: - 6-7: CTL-Period 8: A 9-11: Blank For consolidated, else blank; system generated
5	6	22-27	Blank	
6	8	28-35	INSTALLATION: PAYROLL OFFICE NUM	
7	20	36-55	INSTALLATION: NAME	
8	12	56-67	INSTALLATION: TSP CONTACT PHONE XXX- XXX-XXXX	
9	3	68-70	Blank	

### Non-EFT Pay Tape (Office Check Line Code = "1", Award Line Code = "2")

Field Number	Length	Column	Source Data Field	Remarks
1	9	1-9	SSN	
2	1	10	Record code	Always "A"; system generated
3	1	11	Object code	Always zero; system generated
4	1	12	Mail sort code	Always zero; system generated
5	1	13	Type of payment code	Always blank; system generated
6	8	14-21	Payment amount NET EARNINGS: B/W (AWARD: AMOUNT - FEDERAL TAX: AWARD B/W - CITY: AWARD B/W - STATE: AWARD B/W - HIT: AWARD B/W - FICA: AWARD B/W)	Office check (award, system calculated)
7	1	22	Line code	"1" = Office chk "2" = Award System generated
8	1	23	Blank	
9	4	24-27	Agency use	Always blank
10	4	28-31	Designated Agent Code Install-DA-Code	
11	2	32-33	Blank	
12	8	34-41	INSTALLATION: PAYROLL OFFICE NUM	
13	16	42-57	INSTALLATION: APPROPRIATION CODE	
14	25	58-82	NAME: FIRST MI. LAST	Payee name
15	6	83-88	Blank	

### Non-EFT Pay Tape (Net Pay Record: Line Code = "3")

Field Number	Length	Column	Source Data Field	Remarks
1	9	1-9	SSN	
2	1	10	Record code	Always "A"; system generated
3	1	11	Object code	Always zero; system generated
4	1	12	Mail sort code	Always zero; system generated
5	1	13	Type of payment code	Always blank; system generated
6	8	14-21	NET EARNINGS: B/W	
7	1	22	Line code	Always = "3"; system generated
8	1	23	ZIP code control	Always = "1"; system generated
9	4	24-27	Agency code	Always blank; system generated
10	4	28-31	Designated agent code	Always blank; system generated
11	2	32-33	Blank	
12	8	34-41	INSTALLATION:PAYROLL OFFICE NUM	
13	16	42-57	INSTALLATION: APPROPRIATION CODE	
14	25	58-82	NAME:FIRST MI. LAST	
15	9	83-91	ADDRESS:CHECK MAILING (ZIP)	Nine numbers or five numbers followed by four spaces
16	35	92-126	ADDRESS:CHECK MAILING	Address line 1 or 2
17	18	127-144	ADDRESS:CHECK MAILING	Address, City, St.
18	8	145-152	BLANK	

### Non-EFT Pay Tape (Net Pay Record: Line Code = "4")

Field Number	Length	Column	Source Data Field	Remarks
1	9	1-9	SSN	
2	1	10	Record code	Always "A"; system generated
3	1	11	Object code	Always zero; system generated
4	1	12	Mail sort code	Always zero; system generated
5	1	13	Type of payment code	Always blank; system generated
6	8	14-21	NET EARNINGS: B/W	
7	1	22	Line code	Always "4"; system generated
8	1	23	ZIP code control	Always "1"; system generated
9	4	24-27	Agency code	Always blank; system generated
10	4	28-31	Designated agent code	Always blank; system generated
11	2	32-33	Blank	
12	8	34-41	INSTALLATION: PAYROLL OFFICE NUM	
13	16	42-57	INSTALLATION: APPROPRIATION CODE	
14	25	58-82	NAME: FIRST MI. LAST	
15	9	83-91	ADDRESS: CHECK MAILING (ZIP)	Nine numbers or five numbers followed by four spaces
16	35	92-126	ADDRESS: CHECK MAILING	Address line 1
17	35	127-161	ADDRESS: CHECK MAILING	Address line 2
18	18	162-179	ADDRESS: CHECK MAILING	Address City, St.
19	13	180-192	Blank	

### Non-EFT Pay Tape (Installation Payments: Line Code = "8")

Field Number	Length	Column	Source Data Field	Remarks
1	9	1-9	Blank or CFC-Chapter or Union- Local-Num	
2	1	10	Record code	Always "A"; system generated
3	1	11	Object code	System generated; Can be = 0 NEBA / Union = "3" Charities = "2"
4	1	12	Mail sort code	Always zero; system generated
5	1	13	Type of payment code	Always blank
6	8	14-21	Payment amount NEBA: TOTAL B/W UNION DUES: B/W + UNION DUES: ADJUSTMENT CFC: B/W + CFC: ADJUSTMENT	Totals calculated from employee's deduction (UNION& CFC by agency)
7	1	22	Line code	Always "8"; system generated
8	1	23	ZIP code control	Always "1"; system generated
9	10	24-33	Agency name/Location (If the center = "1234" then this field would equal "NASA-1234")	System generated ("NASA-" is placed before the center code from workfile with a trailing space.)
10	8	34-41	INSTALLATION: PAYROLL OFFICE NUM	
11	16	42-57	INSTALLATION: APPROPRIATION CODE	
12	25	58-82	Address line 1 (columns 1-25) CFC-ADDR1 UNION-ADDR1 VOUCHER-NEBA-ADDR-1	From table TCFC TUNION TINSTALL
13	9	83-91	ZIP code CFC-ZIP UNION-ZIP VOUCHER-NEBA-NAME	Nine numbers or five numbers followed by four spaces

N-NONEFT-5

### Non-EFT Pay Tape (Installation Payments: Line Code = "8")

#### Field Length Column Source Data Field Number Remarks 14 35 92-126 Payee name From table **CFC-NAME** TCFC UNION-NAME **TUNION** VOUCHER-NEBA-ZIP TINSTALL 15 35 127-161 Address line 2 See tables noted above CFC-ADDR2 **UNION-ADDR2** VOUCHER-NEBA-ADDR-2 16 18 162-179 Address line 3 City and state in line 3 CFC-CITY CFC-STATE with a space between UNION-CITY UNION-STATE **VOUCHER-NEBA-CITY** VOUCHER-NEBA-ST 17 10 180-189 Address line 1 (columns 26-35) From table CFC-ADDR1 TCFC **UNION-ADDR1 TUNION** VOUCHER-NEBA-ADDR-1 **TINSTALL** 18 11 190-200 **Blanks**

### Non-EFT Pay Tape (Discretionary Allotments: Line Code = "9")

Field Number	Length	Column	Source Data Field	Remarks
1	9	1-9	SSN	
2	1	10	Record code	Always "A"; system generated
3	1	11	Object code	Always zero; system generated
4	1	12	Mail sort code	Always zero; system generated
5	1	13	Type of Payment Code	Always blank; system generated
6	8	14-21	Payment Amount BANKRUPTCY: B/W CHILD SUPPORT: B/W INDEBTEDNESS DUE U.S.: B/W EMPL GRNSH CRNT DED AMT	
7	1	22	Line code	Always "9"; system generated
8	1	23	ZIP code control	Always "1"; system generated
9	4	24-27	Agency use  BANKRUPTCY = "2 "  CHILD SUPPORT = "1 "  INDEBTEDNESS = "3 "  COMMERCIAL GARNISHMENT = "4 "	System generated to identify discretionary payment type
10	4	28-31	Designated Agent Code	Always blank
11	2	32-33	Blank	
12	8	34-41	INSTALLATION: PAYROLL OFFICE NUM	
13	16	42-57	INSTALLATION: APPROPRIATION CODE	
14	25	58-82	NAME: FIRST MI. LAST	Employee name

N-NONEFT-7

### Non-EFT Pay Tape (Discretionary Allotments: Line Code = "9")

Field				
Number	Length	Column	Source Data Field	Remarks
15	9	83-91	ZIP code BANKRUPTCY AGENCY ADDR CHILD SUPPORT: ACY ADDR INDEBTEDNESS DUE U.S.: ACY ADDR EMPL GRNSH CRDTR ZIP CODE	Nine numbers or five numbers followed by four spaces
16	35	92-126	Payee name BANKRUPTCY: AGENCY NAME CHILD SUPPORT: ACY NAME INDEBTEDNESS DUE U.S.: ACY NAME EMPL GRNSH CRDTR NAME	
17	35	127-161	Address line 1 BANKRUPTCY: AGENCY ADDR CHILD SUPPORT: ACY ADDR INDEBTEDNESS DUE U.S.: ACY ADDR EMPL GRNSH CRDTR ADDR	
18	18	162-179	Address line 2 BANKRUPTCY: AGENCY ADDR CHILD SUPPORT: ACY ADDR INDEBTEDNESS DUE U.S.: ACY ADDR EMPL GRNSH CRDTR CITY + EMPL-GRNSH-CRDTR-STATE	City, State
19	8	180-187		
			CHILD SUPPORT: digits 2-9 of employee SSN All others: Blank	
20	12	188-199	Information to payee BANKRUPTCY: REMARKS	
			INDEBTEDNESS DUE U.S.: REMARKS EMPL GRNSH CRDTR REMARK	
			CHILD SUPPORT: first 11 characters of CHILD SUPPORT: REMARKS and first digit of employee SSN (always position 199)	
21	1	200	Blank	

### **Non-EFT Trailer Records**

Field				
Number	Length	Column	Source Data Field	Remarks
1	3	1-3	Blanks	
2	6	4-9	Item count	System calculated
3	1	10	Record Code	Always "C"; system generated
4	15	11-25	Total Amount	System calculated
5	10	26-35	Agency I.D. INSTALLATION: PAYROLL- OFFICE NUM	Preceded by two spaces
6	35	36-70	Blanks	
6	14	36-49	Blanks	
7	8	50-57		99000001; System generated
8	1	58	Blank	, 0
9	11	59-69	Schedule Number	1-2: P- 3-4: CTL-Date Year (YY) 5: - 6-7: CTL-Period 8: B 9-11: Blank; System generated
10	1	70	Blank	

### **Non-EFT Trailer Records**

Field Number	Length	Column	Source Data Field	Remarks
1	3	1-3	Blanks	
2	6	4-9	Item count	System calculated
3	1	10	Record Code	Always "F"; system generated
4	15	11-25	Total Amount	System calculated
5	10	26-35	Agency I.D. INSTALLATION: PAYROLL- OFFICE NUM	Preceded by two spaces
6	35	36-70	Blanks	

**Note:** The two trailer records for the NON-EFT tape are the same EXCEPT that the record code of the next to last record on the tape is equal to "C" and the record code of the last record on the tape is equal to "F".

## SOURCE DATA SPECIFICATIONS FOR LTC BILLING FILE

### LTC Billing Tape

Field				
Number	Length	Column	Source Data Field	Remarks
1	9	1-9	SSN	
2	20	10-29	Employee Last Name	
3	15	30-44	Employee First Name	
4	1	45	Employee M.I.	
5	8	46-53	Effective Date of Transaction	YYYYMMDD
				Beginning Pay Period
6	8	54-61	Agency Location Code	Match to the Payroll Office Number on TINSTALL
7	1	62	Action Code	Blank
8	6	63-68	Employee Premium Deduction	9999.99 assumed decimal
9	1	69	Spouse Action Code	Blank
10	6	70-75	Spouse Premium Deduction	9999.99 assumed decimal
11	1	76	Dependent Action Code	Blank
12	6	77-82	Dependent Premium Deduction	9999.99 assumed decimal
13	6	83-88	Total Premium Amount	9999.99 assumed decimal

~

DATA SPECIFICATIONS FOR U.S. TREASURY DEPARTMENT LONG TERM CARE PAYMENT FILE (CTX PAYMENT for LTC)

### **CTX Payment LTC Header Record**

Field Number	Length	Column	Source Data Field	Remarks
1	A4	1-4	Record ID	Always "DHDR"
2	A16	5-20	Blanks	Blanks
3	A4	21-24	Agency Name	Always "NASA"
4	A6	25-30	VENMIS	Always "VENMIS"
5	N5	31-35	Creation Date	YYDDD (Julian date)
6	A5	36-40	Blanks	Blanks
7	A20	41-60	Agency Name	From TINSTALL for Marshall Space Flight Center (6200)
8	A12	61-72	Agency Telephone Number	From TINSTALL for Marshall Space Flight Center (6200)
				Format 999-999-9999
9	A6	73-78	VENMIS	Always "VENMIS"
10	A11	79-89	Schedule Number	"P" + year for CTLPAY (derived Fiscal Year) + pay period number from CTLPAY + "C"
				Example(P0211C)
				All CTLPAY fields are for Marshall Space Flight Center (6200)
11	N8	90-97	Settlement Date	YYYYMMDD
				EFFDATE pay date from CTLPAY for Marshall Space Flight Center (6200)
12	A63	98-160	Blanks	Blanks

### CTX Payment LTC PAYMENT RECORD

Field Number	Length	Column	Source Data Field	Remarks
1	A1	1	Record ID	Always "A"
2	N9	2-10	Payee ID (TIN Number)	412029885
3	N10	11-20	Total Payment Amount	Must match sum of all Remittance Records (implied decimal)
4	A1	21	Line code	" <b>V</b> "
5	N8	22-29	Agency Location Code (ALC)	Payroll Office Number from TINSTALL
6	A23	30-52	Payee Name	"Long Term Care Partners"
7	A1	53	Account Type	"C"
8	N8	54-61	Receiving RTN	02100002
9	N1	62	Check Digit	1
10	A17	63-79	Receiving Account Number	"323384501"
11	A80	80-159	Blanks	Blanks
12	A1	160	Eligible for Offset Code	"N"

### CTX Payment LTC REMITTANCE RECORD

Field Number	Length	Column	Source Data Field	Remarks
1	A3	1-3	Record ID	"RM" (contains 1 trailing blank)
2	A2	4-5	Document Reference Type	"SY"
3	A30	6-35	Document Number	Employee SSN
4	N10	36-45	Actual Amount Paid by Employee	Must match total dollar amount in payment record, field 3. Implied decimal
				Total of : LTC BW Empl Deduction LTC BW Spouse Deduction LTC BW Dependent Deduction
5	N10	46-55	Original Deduction Amount	Zeroes
6	N10	56-65	Discount Amount Taken	Zeroes
7	A2	66-67	Additional Info Type	"2U"
8	A10	68-77	Additional Info Number	Employee SSN
9	A80	78-157	Informational Note	First Name (A12) Middle Init (A1) Last Name(A22)
10	A3	158-160	Blanks	Blanks

### **CTX Payment LTC Trailer Record**

Field Number	Length	Column	Source Data Field	Remarks
1	A4	1-4	Record ID	Always "DEOR" generated
2	A6	5-10	Blanks	Blanks
3	N10	11-20	Record Count (file total)	Must match number op Payment ("A") Records
				(should match items certified)
4	A10	21-30	Blanks	Blanks
5	N12	31-42	Total Amount (file total)	Must match sum of all total dollar amounts in Field 3 of Payment ("A") Records (should match dollars certified – no decimals)
6	A1	43	Blanks	Blank
7	N12	44-55	Cumulative Record Count (file total)	Zeroes
8	A1	56	Blanks	Blank
9	N14	57-70	Cumulative Amount (file total)	Zeroes
10	A90	71-160	Blanks	Blanks

### \* NOTES:

Payment Records ('A' records) will come before Remittance Records ('R' records). The schedule number cannot contain any special characters.

# SOURCE DATA SPECIFICATIONS FOR SOCIAL SECURITY ADMINISTRATION INTERFACE TAPES

#### **Social Security Administration Tape Specifications**

Tape	Density	Rec Size	Blk Size	
SSA	6250	512	23040	

### SSA Tape Record Sequence by Record Identifier

Record Identifier	Remarks
RA	Submitter record, first data record on the SSA tape
RE	Employer record for Medicare Qualified (HIT) employees who do not have FICA (OASDI) wages or withholding
RW	Employee wage records
RS	Employee State/City Records
RT	Totals relating to all RW records back to the last RE record
RE	Employer record for all employees not included under the first RE record
RW	Employee wage records
RS	Employee State/City Records
RT	Totals relating to all RW records back to the last RE record
RF	Final record on the SSA tape which holds the total RW record count

### Submitter Record (Code RA)

1-2	Location Field		Length	<b>Specifications</b>
3-11         EIN         9         Federal Tax W2 ID from Marshall TINSTALL           12-28         Personal Identification Number         17         From Parameter Screen (PIN)           29         Resubmit Indicator         1         From Parameter Screen           30-35         Resubmit TLCN         6         From Parameter Screen           36-37         Software Code         2         98'           38-94         Company Name         57         INSTALL-ADME           95-116         Company Location Address         22         INSTALL-ADDR-FOR-SSA-TAPE-A           117-138         Company Delivery Address         22         INSTALL-ADDR-FOR-SSA-TAPE-B           139-160         Company State         2         INSTALL-ADDR-CITY           161-162         Company State         2         INSTALL-ADDR-2IP (COL 1-5)           168-171         Company Zip         5         INSTALL-ADDR-ZIP (COL 6-9)           172-176         Blank         5         Blanks           177-199         Foreign Postal Code         15         Blanks           215-216         Country Code         2         Blanks           217-273         Submitter Address         22         INSTALL-ADDR-FOR-SSA-TAPE-A           276-295         Submi				
12-28         Personal Identification Number         17         From Parameter Screen (PIN)           29         Resubmit Indicator         1         From Parameter Screen           30-35         Resubmit TLCN         6         From Parameter Screen           36-37         Software Code         2         '98'           38-94         Company Name         57         INSTALL-ADMR           95-116         Company Location Address         22         INSTALL-ADDR-FOR-SSA-TAPE-A           117-138         Company Delivery Address         22         INSTALL-ADDR-FOR-SSA-TAPE-B           139-160         Company State         2         INSTALL-ADDR-CITY           161-162         Company Zip         5         INSTALL-ADDR-ZIP (COL 1-5)           168-171         Company Zip Extension         4         INSTALL-ADDR-ZIP (COL 6-9)           172-176         Blank         5         Blanks           177-199         Foreign Postal Code         15         Blanks           217-273         Submitter Name         57         INSTALL-ADDR-FOR-SSA-TAPE-A           217-273         Submitter Address         22         INSTALL-ADDR-FOR-SSA-TAPE-A           296-317         Submitter Optivery Address         22         INSTALL-ADDR-FOR-SSA-TAPE-B	1-2	Record Identifier	2	'RA'
29         Resubmit Indicator         1         From Parameter Screen           30-35         Resubmit TLCN         6         From Parameter Screen           36-37         Software Code         2         '98'           38-94         Company Name         57         INSTALL-ADDR-FOR-SSA-TAPE-A           95-116         Company Location Address         22         INSTALL-ADDR-FOR-SSA-TAPE-B           117-138         Company Delivery Address         22         INSTALL-ADDR-FOR-SSA-TAPE-B           139-160         Company City         22         INSTALL-ADDR-CITY           161-162         Company State         2         INSTALL-ADDR-CITY           163-167         Company Zip Extension         4         INSTALL-ADDR-ZIP (COL 1-5)           168-171         Company Zip Extension         4         INSTALL-ADDR-ZIP (COL 6-9)           172-176         Blank         5         Blanks           200-214         Foreign Postal Code         15         Blanks           217-219         Foreign State         23         Blanks           215-216         Country Code         2         Blanks           217-273         Submitter Name         57         INSTALL-ADDR-FOR-SSA-TAPE-A           218-231         Submitter City	3-11	EIN	9	Federal Tax W2 ID from Marshall TINSTALL
30-35         Resubmit TLCN         6         From Parameter Screen           36-37         Software Code         2         '98'           38-94         Company Name         57         INSTALL-ADDR-FOR-SSA-TAPE-A           117-138         Company Delivery Address         22         INSTALL-ADDR-FOR-SSA-TAPE-B           139-160         Company City         22         INSTALL-ADDR-CITY           161-162         Company State         2         INSTALL-ADDR-ZIP (COL 1-5)           163-167         Company Zip         5         INSTALL-ADDR-ZIP (COL 6-9)           172-176         Blank         5         Blanks           177-199         Foreign State         23         Blanks           200-214         Foreign Postal Code         15         Blanks           217-273         Submitter Name         57         INSTALL-ADDR-FOR-SSA-TAPE-A           274-295         Submitter Address         22         INSTALL-ADDR-FOR-SSA-TAPE-A           296-317         Submitter Delivery Address         22         INSTALL-ADDR-FOR-SSA-TAPE-B           318-339         Submitter City         22         INSTALL-ADDR-CITY           340-341         Submitter State         2         INSTALL-ADDR-ZIP (COL 1-5)           347-350 <td< td=""><td>12-28</td><td>Personal Identification Number</td><td>er 17</td><td>From Parameter Screen (PIN)</td></td<>	12-28	Personal Identification Number	er 17	From Parameter Screen (PIN)
36-37         Software Code         2         '98'           38-94         Company Name         57         INSTALL-NAME           95-116         Company Location Address         22         INSTALL-ADDR-FOR-SSA-TAPE-A           117-138         Company Delivery Address         22         INSTALL-ADDR-FOR-SSA-TAPE-B           139-160         Company State         2         INSTALL-ADDR-CITY           161-162         Company Zip         5         INSTALL-ADDR-ZIP (COL 1-5)           168-171         Company Zip Extension         4         INSTALL-ADDR-ZIP (COL 6-9)           172-176         Blank         5         Blanks           177-199         Foreign State         23         Blanks           200-214         Foreign Postal Code         15         Blanks           215-216         Country Code         2         Blanks           217-273         Submitter Name         57         INSTALL-ADDR-FOR-SSA-TAPE-A           217-273         Submitter Address         22         INSTALL-ADDR-FOR-SSA-TAPE-B           318-339         Submitter City         22         INSTALL-ADDR-CITY           340-341         Submitter State         2         INSTALL-ADDR-CITY           342-346         Submitter State <td< td=""><td>29</td><td>Resubmit Indicator</td><td>1</td><td>From Parameter Screen</td></td<>	29	Resubmit Indicator	1	From Parameter Screen
38-94         Company Name         57         INSTALL-NAME           95-116         Company Location Address         22         INSTALL-ADDR-FOR-SSA-TAPE-A           117-138         Company Delivery Address         22         INSTALL-ADDR-FOR-SSA-TAPE-B           139-160         Company City         22         INSTALL-ADDR-CITY           161-162         Company State         2         INSTALL-ADDR-ST           163-167         Company Zip Extension         4         INSTALL-ADDR-ZIP (COL 1-5)           168-171         Company Zip Extension         4         INSTALL-ADDR-ZIP (COL 6-9)           172-176         Blank         5         Blanks           177-199         Foreign State         23         Blanks           200-214         Foreign Postal Code         15         Blanks           217-273         Submitter Name         57         INSTALL-ADDR-FOR-SSA-TAPE-A           274-295         Submitter Address         22         INSTALL-ADDR-FOR-SSA-TAPE-B           318-339         Submitter City         22         INSTALL-ADDR-CITY           340-341         Submitter State         2         INSTALL-ADDR-CITY           342-346         Submitter State         2         INSTALL-ADDR-ZIP (COL 1-5)           347-350 <td>30-35</td> <td>Resubmit TLCN</td> <td>6</td> <td>From Parameter Screen</td>	30-35	Resubmit TLCN	6	From Parameter Screen
95-116         Company Location Address         22         INSTALL-ADDR-FOR-SSA-TAPE-A           117-138         Company Delivery Address         22         INSTALL-ADDR-FOR-SSA-TAPE-B           139-160         Company City         22         INSTALL-ADDR-CITY           161-162         Company State         2         INSTALL-ADDR-ST           163-167         Company Zip Extension         4         INSTALL-ADDR-ZIP (COL 1-5)           168-171         Company Zip Extension         4         INSTALL-ADDR-ZIP (COL 6-9)           172-176         Blank         5         Blanks           200-214         Foreign Postal Code         15         Blanks           217-2173         Submitter Name         57         INSTALL-ADDR-ZIP (COL 6-9)           217-273         Submitter Address         22         INSTALL-ADDR-FOR-SSA-TAPE-A           296-317         Submitter Delivery Address         22         INSTALL-ADDR-FOR-SSA-TAPE-B           318-339         Submitter State         2         INSTALL-ADDR-CITY           340-341         Submitter State         2         INSTALL-ADDR-CITY           347-350         Submitter Zip Extension         4         INSTALL-ADDR-ZIP (COL 1-5)           347-355         Blank         5         Blanks	36-37	Software Code	2	'98'
117-138         Company Delivery Address         22         INSTALL-ADDR-FOR-SSA-TAPE-B           139-160         Company City         22         INSTALL-ADDR-CITY           161-162         Company State         2         INSTALL-ADDR-ST           163-167         Company Zip         5         INSTALL-ADDR-ZIP (COL 1-5)           168-171         Company Zip Extension         4         INSTALL-ADDR-ZIP (COL 6-9)           172-176         Blank         5         Blanks           177-199         Foreign State         23         Blanks           200-214         Foreign Postal Code         15         Blanks           217-273         Submitter Name         57         INSTALL-NAME           217-273         Submitter Address         22         INSTALL-ADDR-FOR-SSA-TAPE-A           296-317         Submitter Delivery Address         22         INSTALL-ADDR-FOR-SSA-TAPE-B           318-339         Submitter City         22         INSTALL-ADDR-CITY           340-341         Submitter State         2         INSTALL-ADDR-ZIP (COL 1-5)           347-350         Submitter State         2         INSTALL-ADDR-ZIP (COL 6-9)           351-355         Blank         5         Blanks           396-422         Contact Nam	38-94	Company Name	57	INSTALL-NAME
139-160         Company City         22         INSTALL-ADDR-CITY           161-162         Company State         2         INSTALL-ADDR-ST           163-167         Company Zip         5         INSTALL-ADDR-ZIP (COL 1-5)           168-171         Company Zip Extension         4         INSTALL-ADDR-ZIP (COL 6-9)           172-176         Blank         5         Blanks           177-199         Foreign State         23         Blanks           200-214         Foreign Postal Code         15         Blanks           215-216         Country Code         2         Blanks           217-273         Submitter Name         57         INSTALL-ADME           274-295         Submitter Address         22         INSTALL-ADDR-FOR-SSA-TAPE-A           296-317         Submitter City         22         INSTALL-ADDR-CITY           340-341         Submitter State         2         INSTALL-ADDR-ST           342-346         Submitter Zip         5         INSTALL-ADDR-ZIP (COL 1-5)           347-350         Submitter Foreign State         23         Blanks           356-378         Submitter Foreign Postal Code         15         Blanks           396-422         Contact Name         27         INSTALL	95-116	Company Location Address	22	INSTALL-ADDR-FOR-SSA-TAPE-A
161-162         Company State         2         INSTALL-ADDR-ST           163-167         Company Zip         5         INSTALL-ADDR-ZIP (COL 1-5)           168-171         Company Zip Extension         4         INSTALL-ADDR-ZIP (COL 6-9)           172-176         Blank         5         Blanks           177-199         Foreign State         23         Blanks           200-214         Foreign Postal Code         15         Blanks           215-216         Country Code         2         Blanks           217-273         Submitter Name         57         INSTALL-NAME           274-295         Submitter Address         22         INSTALL-ADDR-FOR-SSA-TAPE-A           296-317         Submitter Delivery Address         22         INSTALL-ADDR-FOR-SSA-TAPE-B           318-339         Submitter City         22         INSTALL-ADDR-CITY           340-341         Submitter State         2         INSTALL-ADDR-ZIP (COL 1-5)           347-350         Submitter Zip Extension         4         INSTALL-ADDR-ZIP (COL 6-9)           351-355         Blank         5         Blanks           396-393         Submitter Foreign State         23         Blanks           396-422         Contact Name         27	117-138	Company Delivery Address	22	INSTALL-ADDR-FOR-SSA-TAPE-B
163-167         Company Zip         5         INSTALL-ADDR-ZIP (COL 1-5)           168-171         Company Zip Extension         4         INSTALL-ADDR-ZIP (COL 6-9)           172-176         Blank         5         Blanks           177-199         Foreign State         23         Blanks           200-214         Foreign Postal Code         15         Blanks           215-216         Country Code         2         Blanks           217-273         Submitter Name         57         INSTALL-NAME           274-295         Submitter Address         22         INSTALL-ADDR-FOR-SSA-TAPE-A           296-317         Submitter Delivery Address         22         INSTALL-ADDR-FOR-SSA-TAPE-B           318-339         Submitter City         22         INSTALL-ADDR-CITY           340-341         Submitter State         2         INSTALL-ADDR-ZIP (COL 1-5)           347-350         Submitter Zip Extension         4         INSTALL-ADDR-ZIP (COL 6-9)           351-355         Blank         5         Blanks           356-378         Submitter Foreign Postal Code         15         Blanks           396-422         Contact Name         27         INSTALL-TSP-CONTACT-NAME           423-437         Contact Phone Extensio	139-160	Company City	22	INSTALL-ADDR-CITY
168-171Company Zip Extension4INSTALL-ADDR-ZIP (COL 6-9)172-176Blank5Blanks177-199Foreign State23Blanks200-214Foreign Postal Code15Blanks215-216Country Code2Blanks217-273Submitter Name57INSTALL-NAME274-295Submitter Address22INSTALL-ADDR-FOR-SSA-TAPE-A296-317Submitter Delivery Address22INSTALL-ADDR-FOR-SSA-TAPE-B318-339Submitter City22INSTALL-ADDR-CITY340-341Submitter State2INSTALL-ADDR-ZIP (COL 1-5)347-350Submitter Zip5INSTALL-ADDR-ZIP (COL 6-9)351-355Blank5Blanks356-378Submitter Foreign State23Blanks394-395Submitter Foreign Postal Code15Blanks396-422Contact Name27INSTALL-TSP-CONTACT-NAME423-437Contact Phone Number15INSTALL-TSP-CONTACT-PHONE (no hyphens)438-442Contact Phone Extension5Blanks440-485Contact E-mail40Blanks486-488Blank3Blanks489-498Contact FAX10From Parameter Screen (no hyphens)499Preferred Method of Problem1'2' for notify of error by Postal Service	161-162	Company State	2	INSTALL-ADDR-ST
172-176         Blank         5         Blanks           1777-199         Foreign State         23         Blanks           200-214         Foreign Postal Code         15         Blanks           215-216         Country Code         2         Blanks           217-273         Submitter Name         57         INSTALL-NAME           274-295         Submitter Address         22         INSTALL-ADDR-FOR-SSA-TAPE-A           296-317         Submitter Delivery Address         22         INSTALL-ADDR-FOR-SSA-TAPE-B           318-339         Submitter City         22         INSTALL-ADDR-CITY           340-341         Submitter State         2         INSTALL-ADDR-ST           342-346         Submitter Zip         5         INSTALL-ADDR-ZIP (COL 1-5)           347-350         Submitter Foreign State         23         Blanks           356-378         Submitter Foreign Postal Code         15         Blanks           394-395         Submitter Country Code         2         Blanks           396-422         Contact Name         27         INSTALL-TSP-CONTACT-NAME           423-437         Contact Phone Number         15         Blanks           443-445         Blank         3         Blanks <td>163-167</td> <td>Company Zip</td> <td>5</td> <td>INSTALL-ADDR-ZIP (COL 1-5)</td>	163-167	Company Zip	5	INSTALL-ADDR-ZIP (COL 1-5)
1777-199Foreign State23Blanks200-214Foreign Postal Code15Blanks215-216Country Code2Blanks217-273Submitter Name57INSTALL-NAME274-295Submitter Address22INSTALL-ADDR-FOR-SSA-TAPE-A296-317Submitter Delivery Address22INSTALL-ADDR-FOR-SSA-TAPE-B318-339Submitter City22INSTALL-ADDR-CITY340-341Submitter State2INSTALL-ADDR-ZIP (COL 1-5)347-350Submitter Zip5INSTALL-ADDR-ZIP (COL 6-9)351-355Blank5Blanks356-378Submitter Foreign State23Blanks394-395Submitter Foreign Postal Code15Blanks394-395Submitter Country Code2Blanks396-422Contact Name27INSTALL-TSP-CONTACT-NAME423-437Contact Phone Number15INSTALL-TSP-CONTACT-PHONE (no hyphens)438-442Contact Phone Extension5Blanks443-445Blank3Blanks446-485Contact E-mail40Blanks486-488Blank3Blanks489-498Contact FAX10From Parameter Screen (no hyphens)499Preferred Method of Problem1'2' for notify of error by Postal Service	168-171	Company Zip Extension	4	INSTALL-ADDR-ZIP (COL 6-9)
200-214Foreign Postal Code15Blanks215-216Country Code2Blanks217-273Submitter Name57INSTALL-NAME274-295Submitter Address22INSTALL-ADDR-FOR-SSA-TAPE-A296-317Submitter Delivery Address22INSTALL-ADDR-FOR-SSA-TAPE-B318-339Submitter City22INSTALL-ADDR-CITY340-341Submitter State2INSTALL-ADDR-ST342-346Submitter Zip5INSTALL-ADDR-ZIP (COL 1-5)347-350Submitter Zip Extension4INSTALL-ADDR-ZIP (COL 6-9)351-355Blank5Blanks356-378Submitter Foreign State23Blanks394-395Submitter Foreign Postal Code15Blanks394-395Submitter Country Code2Blanks396-422Contact Name27INSTALL-TSP-CONTACT-NAME423-437Contact Phone Number15INSTALL-TSP-CONTACT-PHONE (no hyphens)438-442Contact Phone Extension5Blanks443-445Blank3Blanks446-485Contact E-mail40Blanks486-488Blank3Blanks489-498Contact FAX10From Parameter Screen (no hyphens)499Preferred Method of Problem1'2' for notify of error by Postal Service	172-176	Blank	5	Blanks
215-216 Country Code 2 Blanks 217-273 Submitter Name 57 INSTALL-NAME 274-295 Submitter Address 22 INSTALL-ADDR-FOR-SSA-TAPE-A 296-317 Submitter Delivery Address 22 INSTALL-ADDR-FOR-SSA-TAPE-B 318-339 Submitter City 22 INSTALL-ADDR-CITY 340-341 Submitter State 2 INSTALL-ADDR-ST 342-346 Submitter Zip 5 INSTALL-ADDR-ZIP (COL 1-5) 347-350 Submitter Zip Extension 4 INSTALL-ADDR-ZIP (COL 6-9) 351-355 Blank 5 Blanks 356-378 Submitter Foreign State 23 Blanks 379-393 Submitter Foreign Postal Code 15 Blanks 394-395 Submitter Country Code 2 Blanks 396-422 Contact Name 27 INSTALL-TSP-CONTACT-NAME 423-437 Contact Phone Number 15 INSTALL-TSP-CONTACT-PHONE (no hyphens) 438-442 Contact Phone Extension 5 Blanks 443-445 Blank 3 Blanks 446-485 Contact E-mail 40 Blanks 486-488 Blank 3 Blanks 489-498 Contact FAX 10 From Parameter Screen (no hyphens) 499 Preferred Method of Problem 1 '2' for notify of error by Postal Service	177-199	Foreign State	23	Blanks
217-273Submitter Name57INSTALL-NAME274-295Submitter Address22INSTALL-ADDR-FOR-SSA-TAPE-A296-317Submitter Delivery Address22INSTALL-ADDR-FOR-SSA-TAPE-B318-339Submitter City22INSTALL-ADDR-CITY340-341Submitter State2INSTALL-ADDR-ST342-346Submitter Zip5INSTALL-ADDR-ZIP (COL 1-5)347-350Submitter Zip Extension4INSTALL-ADDR-ZIP (COL 6-9)351-355Blank5Blanks356-378Submitter Foreign Postal Code15Blanks394-395Submitter Foreign Postal Code15Blanks396-422Contact Name27INSTALL-TSP-CONTACT-NAME423-437Contact Phone Number15INSTALL-TSP-CONTACT-PHONE (no hyphens)438-442Contact Phone Extension5Blanks443-445Blank3Blanks446-485Contact E-mail40Blanks486-488Blank3Blanks489-498Contact FAX10From Parameter Screen (no hyphens)499Preferred Method of Problem1'2' for notify of error by Postal Service	200-214	Foreign Postal Code	15	Blanks
274-295Submitter Address22INSTALL-ADDR-FOR-SSA-TAPE-A296-317Submitter Delivery Address22INSTALL-ADDR-FOR-SSA-TAPE-B318-339Submitter City22INSTALL-ADDR-CITY340-341Submitter State2INSTALL-ADDR-ST342-346Submitter Zip5INSTALL-ADDR-ZIP (COL 1-5)347-350Submitter Zip Extension4INSTALL-ADDR-ZIP (COL 6-9)351-355Blank5Blanks356-378Submitter Foreign State23Blanks394-393Submitter Foreign Postal Code15Blanks396-422Contact Name27INSTALL-TSP-CONTACT-NAME423-437Contact Phone Number15INSTALL-TSP-CONTACT-PHONE (no hyphens)438-442Contact Phone Extension5Blanks443-445Blank3Blanks446-485Contact E-mail40Blanks486-488Blank3Blanks489-498Contact FAX10From Parameter Screen (no hyphens)499Preferred Method of Problem1'2' for notify of error by Postal Service	215-216	Country Code	2	Blanks
296-317Submitter Delivery Address22INSTALL-ADDR-FOR-SSA-TAPE-B318-339Submitter City22INSTALL-ADDR-CITY340-341Submitter State2INSTALL-ADDR-ST342-346Submitter Zip5INSTALL-ADDR-ZIP (COL 1-5)347-350Submitter Zip Extension4INSTALL-ADDR-ZIP (COL 6-9)351-355Blank5Blanks356-378Submitter Foreign State23Blanks394-393Submitter Foreign Postal Code15Blanks394-395Submitter Country Code2Blanks396-422Contact Name27INSTALL-TSP-CONTACT-NAME423-437Contact Phone Number15INSTALL-TSP-CONTACT-PHONE (no hyphens)438-442Contact Phone Extension5Blanks443-445Blank3Blanks446-485Contact E-mail40Blanks486-488Blank3Blanks489-498Contact FAX10From Parameter Screen (no hyphens)499Preferred Method of Problem1'2' for notify of error by Postal Service	217-273	Submitter Name	57	INSTALL-NAME
318-339Submitter City22INSTALL-ADDR-CITY340-341Submitter State2INSTALL-ADDR-ST342-346Submitter Zip5INSTALL-ADDR-ZIP (COL 1-5)347-350Submitter Zip Extension4INSTALL-ADDR-ZIP (COL 6-9)351-355Blank5Blanks356-378Submitter Foreign State23Blanks379-393Submitter Foreign Postal Code15Blanks394-395Submitter Country Code2Blanks396-422Contact Name27INSTALL-TSP-CONTACT-NAME423-437Contact Phone Number15INSTALL-TSP-CONTACT-PHONE (no hyphens)438-442Contact Phone Extension5Blanks443-445Blank3Blanks446-485Contact E-mail40Blanks486-488Blank3Blanks489-498Contact FAX10From Parameter Screen (no hyphens)499Preferred Method of Problem1'2' for notify of error by Postal Service	274-295	Submitter Address	22	INSTALL-ADDR-FOR-SSA-TAPE-A
340-341 Submitter State 2 INSTALL-ADDR-ST 342-346 Submitter Zip 5 INSTALL-ADDR-ZIP (COL 1-5) 347-350 Submitter Zip Extension 4 INSTALL-ADDR-ZIP (COL 6-9) 351-355 Blank 5 Blanks 356-378 Submitter Foreign State 23 Blanks 379-393 Submitter Foreign Postal Code 15 Blanks 394-395 Submitter Country Code 2 Blanks 396-422 Contact Name 27 INSTALL-TSP-CONTACT-NAME 423-437 Contact Phone Number 15 INSTALL-TSP-CONTACT-PHONE (no hyphens) 438-442 Contact Phone Extension 5 Blanks 443-445 Blank 3 Blanks 446-485 Contact E-mail 40 Blanks 486-488 Blank 3 Blanks 489-498 Contact FAX 10 From Parameter Screen (no hyphens) 499 Preferred Method of Problem 1 '2' for notify of error by Postal Service	296-317	Submitter Delivery Address	22	INSTALL-ADDR-FOR-SSA-TAPE-B
342-346Submitter Zip5INSTALL-ADDR-ZIP (COL 1-5)347-350Submitter Zip Extension4INSTALL-ADDR-ZIP (COL 6-9)351-355Blank5Blanks356-378Submitter Foreign State23Blanks379-393Submitter Foreign Postal Code15Blanks394-395Submitter Country Code2Blanks396-422Contact Name27INSTALL-TSP-CONTACT-NAME423-437Contact Phone Number15INSTALL-TSP-CONTACT-PHONE (no hyphens)438-442Contact Phone Extension5Blanks443-445Blank3Blanks446-485Contact E-mail40Blanks486-488Blank3Blanks489-498Contact FAX10From Parameter Screen (no hyphens)499Preferred Method of Problem1'2' for notify of error by Postal Service	318-339	Submitter City	22	INSTALL-ADDR-CITY
347-350 Submitter Zip Extension 4 INSTALL-ADDR-ZIP (COL 6-9) 351-355 Blank 5 Blanks 356-378 Submitter Foreign State 23 Blanks 379-393 Submitter Foreign Postal Code 15 Blanks 394-395 Submitter Country Code 2 Blanks 396-422 Contact Name 27 INSTALL-TSP-CONTACT-NAME 423-437 Contact Phone Number 15 INSTALL-TSP-CONTACT-PHONE (no hyphens) 438-442 Contact Phone Extension 5 Blanks 443-445 Blank 3 Blanks 446-485 Contact E-mail 40 Blanks 486-488 Blank 3 Blanks 489-498 Contact FAX 10 From Parameter Screen (no hyphens) 499 Preferred Method of Problem 1 '2' for notify of error by Postal Service	340-341	Submitter State	2	INSTALL-ADDR-ST
351-355Blank5Blanks356-378Submitter Foreign State23Blanks379-393Submitter Foreign Postal Code15Blanks394-395Submitter Country Code2Blanks396-422Contact Name27INSTALL-TSP-CONTACT-NAME423-437Contact Phone Number15INSTALL-TSP-CONTACT-PHONE (no hyphens)438-442Contact Phone Extension5Blanks443-445Blank3Blanks446-485Contact E-mail40Blanks486-488Blank3Blanks489-498Contact FAX10From Parameter Screen (no hyphens)499Preferred Method of Problem1'2' for notify of error by Postal Service	342-346	Submitter Zip	5	INSTALL-ADDR-ZIP (COL 1-5)
356-378Submitter Foreign State23Blanks379-393Submitter Foreign Postal Code15Blanks394-395Submitter Country Code2Blanks396-422Contact Name27INSTALL-TSP-CONTACT-NAME423-437Contact Phone Number15INSTALL-TSP-CONTACT-PHONE (no hyphens)438-442Contact Phone Extension5Blanks443-445Blank3Blanks446-485Contact E-mail40Blanks486-488Blank3Blanks489-498Contact FAX10From Parameter Screen (no hyphens)499Preferred Method of Problem1'2' for notify of error by Postal Service	347-350	Submitter Zip Extension	4	INSTALL-ADDR-ZIP (COL 6-9)
379-393 Submitter Foreign Postal Code 15 Blanks 394-395 Submitter Country Code 2 Blanks 396-422 Contact Name 27 INSTALL-TSP-CONTACT-NAME 423-437 Contact Phone Number 15 INSTALL-TSP-CONTACT-PHONE (no hyphens) 438-442 Contact Phone Extension 5 Blanks 443-445 Blank 3 Blanks 446-485 Contact E-mail 40 Blanks 486-488 Blank 3 Blanks 489-498 Contact FAX 10 From Parameter Screen (no hyphens) 499 Preferred Method of Problem 1 '2' for notify of error by Postal Service	351-355	Blank	5	Blanks
394-395 Submitter Country Code 2 Blanks 396-422 Contact Name 27 INSTALL-TSP-CONTACT-NAME 423-437 Contact Phone Number 15 INSTALL-TSP-CONTACT-PHONE (no hyphens) 438-442 Contact Phone Extension 5 Blanks 443-445 Blank 3 Blanks 446-485 Contact E-mail 40 Blanks 486-488 Blank 3 Blanks 489-498 Contact FAX 10 From Parameter Screen (no hyphens) 499 Preferred Method of Problem 1 '2' for notify of error by Postal Service	356-378	Submitter Foreign State	23	Blanks
396-422 Contact Name 27 INSTALL-TSP-CONTACT-NAME 423-437 Contact Phone Number 15 INSTALL-TSP-CONTACT-PHONE (no hyphens) 438-442 Contact Phone Extension 5 Blanks 443-445 Blank 3 Blanks 446-485 Contact E-mail 40 Blanks 486-488 Blank 3 Blanks 489-498 Contact FAX 10 From Parameter Screen (no hyphens) 499 Preferred Method of Problem 1 '2' for notify of error by Postal Service	379-393	Submitter Foreign Postal Cod	e 15	Blanks
423-437Contact Phone Number15INSTALL-TSP-CONTACT-PHONE (no hyphens)438-442Contact Phone Extension5Blanks443-445Blank3Blanks446-485Contact E-mail40Blanks486-488Blank3Blanks489-498Contact FAX10From Parameter Screen (no hyphens)499Preferred Method of Problem1'2' for notify of error by Postal Service	394-395	Submitter Country Code	2	Blanks
438-442 Contact Phone Extension 5 Blanks 443-445 Blank 3 Blanks 446-485 Contact E-mail 40 Blanks 486-488 Blank 3 Blanks 489-498 Contact FAX 10 From Parameter Screen (no hyphens) 499 Preferred Method of Problem 1 '2' for notify of error by Postal Service	396-422	Contact Name	27	INSTALL-TSP-CONTACT-NAME
443-445Blank3Blanks446-485Contact E-mail40Blanks486-488Blank3Blanks489-498Contact FAX10From Parameter Screen (no hyphens)499Preferred Method of Problem1'2' for notify of error by Postal Service	423-437	Contact Phone Number	15	INSTALL-TSP-CONTACT-PHONE (no hyphens)
446-485Contact E-mail40Blanks486-488Blank3Blanks489-498Contact FAX10From Parameter Screen (no hyphens)499Preferred Method of Problem1'2' for notify of error by Postal Service	438-442	Contact Phone Extension	5	Blanks
486-488 Blank 3 Blanks 489-498 Contact FAX 10 From Parameter Screen (no hyphens) 499 Preferred Method of Problem 1 '2' for notify of error by Postal Service	443-445	Blank	3	Blanks
489-498 Contact FAX 10 From Parameter Screen (no hyphens) 499 Preferred Method of Problem 1 '2' for notify of error by Postal Service	446-485	Contact E-mail	40	Blanks
499 Preferred Method of Problem 1 '2' for notify of error by Postal Service	486-488	Blank	3	Blanks
	489-498	Contact FAX	10	From Parameter Screen (no hyphens)
, ,	499	Preferred Method of Problem	1	, ,,
·		Preparer Code	1	•
501-512 Blank 12 Blanks	501-512	·	12	Blanks

#### **Employer Record (Code RE)**

Location	on Field L	ength	<b>Specifications</b>
1-2	Record Identifier	2	'RE'
3-6	Tax Year	4	From Parameter screen
7	Agent Indicator Code	1	Blank
8-16	Employer EIN	9	Federal Tax W2 ID from Marshall TINSTALL
17-25	Agent for EIN	9	Blanks
26	Terminating Business Indicator	1	<b>'</b> 0'
27-30	Establishment Number	4	Blanks
31-39	Other EIN	9	Blanks
40-96	Employer Name	57	INSTALL-NAME
97-118	Employer Address	22	INSTALL-ADDR-FOR-SSA-TAPE-A
119-140	Employer Delivery Address	22	INSTALL-ADDR-FOR-SSA-TAPE-B
141-162	Employer City	22	INSTALL-ADDR-CITY
163-164	Employer State	2	INSTALL-ADDR-ST
165-169	Employer Zip	5	INSTALL-ADDR-ZIP(COL 1-5)
170-173	Employer Zip Extension	4	INSTALL-ADDR-ZIP(COL 6-9) TINSTALL
174-178	Blank	5	Blanks
179-201	Foreign State	23	Blanks
202-216	Foreign Postal Code	15	Blanks
217-218	Country Code	2	Blanks
219	Employment Code	1	'Q' for Medicare Qualified Government
			Employment
220	Tax Jurisdiction Code	1	Blanks
221	Third-Party Sick Pay Indicator	1	·O'
222-512	Blank	291	Blanks

#### **Employee Wage Record (Code RW)**

Field	Length	Specifications
Record Identifier	2	'RW'
		SSN
•		First name
. ,	15	Middle name or initial Initial
	20	Last name
Suffix	4	Suffix or blanks
Location Address 1	22	Employee first line of address
Location Address 2	22	Employee second line of address
City	22	Employee city
State	2	Employee state
Zip	5	Employee zip
Zip Extension	4	Zip extension or blanks
Blank	5	Blanks
Foreign State	23	Blanks
Foreign Postal code	15	Blanks
Country Code	2	Blanks
Wages, Tips and Other	11	GROSS-EARNINGS: YTD Compensation
		+ PCS: ERNGS SUBJ FED TAX YTD
		- TSP: DEDUCTION TOTAL YTD
		- EMPL FEHB TAX EX FED YTD AMT (includes
		SLR)
		- TSP CATCHUP: YTD DED AMT
		- FSA HC: FED YTD DED
		- FSA DC: FED YTD DED
Federal Income Tax Withheld	11	FEDERAL TAX: YTD
		+ PCS FEDERAL TAX WITHHELD YTD
Social Security Wage	11	FICA: EARNINGS YTD (includes SLR; has
		already had FSA HC: FED YTD DED and FSA
		DC: FED YTD DED subtracted out)
Social Security Tax Withheld	11	FICA: YTD
Medicare Wages and Tips	11	HIT: EARNINGS YTD (includes SLR; has
		already had FSA HC: FED YTD DED and FSA
		DC: FED YTD DED subtracted out)
Medicare Tax Withheld	11	HIT: YTD
Social Security Tips	11	Zeroes
Advance Earned Income Credit	11	EIC
Dependent Care Benefits	11	Zeroes
Deferred Compensation to	11	TSP Section 401(k)
Deferred Compensation to	11	Zeroes Section 403(b)
Deferred Compensation to	11	Zeroes Section 408(k)(6)
Deferred Compensation to	11	Zeroes Section 457(b)
	Record Identifier Social Security Number Employee First Name Employee Middle Name or Employee Last Name Suffix Location Address 1 Location Address 2 City State Zip Zip Extension Blank Foreign State Foreign Postal code Country Code Wages, Tips and Other  Federal Income Tax Withheld Social Security Wage  Social Security Tax Withheld Medicare Wages and Tips  Medicare Tax Withheld Social Security Tips Advance Earned Income Credit Dependent Care Benefits Deferred Compensation to Deferred Compensation to	Record Identifier 2 Social Security Number 9 Employee First Name 15 Employee Middle Name or 15 Employee Last Name 20 Suffix 4 Location Address 1 22 Location Address 2 22 City 22 State 2 Zip 5 Zip Extension 4 Blank 5 Foreign State 23 Foreign Postal code 15 Country Code 2 Wages, Tips and Other 11  Federal Income Tax Withheld 11 Social Security Wage 11  Medicare Wages and Tips 11  Medicare Tax Withheld 11 Social Security Tips 11 Advance Earned Income Credit 11 Dependent Care Benefits 11 Deferred Compensation to 11

331-341	Deferred Compensation to	11	Zeroes Section 501(c)(18)(D)
342-352	Military Employees Basic Quarters,	11	Zeroes Subsistence, and Combat Pay
353-363	Non-qualified Plan Section 457	11	Zeroes Distributions or Contributions
364-374	Blank	11	Blanks

#### **Employee Wage Record (Code RW - continued)**

<b>Location</b>	Field	Length	<u>Specification</u>
375-385	Non-qualified Plan Not Section	11	Zeroes
	457 Distributions or Contribution	s	
386-396	Blank	11	Blanks
397-407	Blank	11	Blank
408-418	Employer cost of Premiums for	11	Zeroes Term Life Insurance Over 50,000
419-429	Income from the Exercise of	11	Zeroes
	Non-statutory Stock Options		
430-484	Blank	55	Blanks
485	Deferred Compensation Indicato	r 1	'1' if Deferred else zero
486	Statutory Employee Indicator	1	Zero
487	Blank	1	Blank
488	Retirement Plan Indicator	1	'1' if Pension Plan else zero
489	Third-Party Sick Pay Indicator	1	Zero
490-512	Blank	23	Blanks

### State Record (Code RS)

Locati	on Field	Length	<b>Specifications</b>
1-2	Record Identifier	2	'RS'
3-4	State Code	2	System generated Numeric State Code or
			Former state tax or Numeric Former State Code
			(Blanks for Local (city) records)
5-9	Taxing Entity Code	5	State or Former State Code
10-18	Social Security Number	9	SSN
19-33	Employee First Name	15	First name
34-48	Employee Middle Name or	15	Middle name or initial
49-68	Employee Last Name	20	Last name
69-72	Suffix	4	Suffix or blank
73-94	Location Address 1	22	Employee first line of address
95-116	Location Address 2	22	Employee second line of address
117-138	City	22	Employee city
139-140	State	2	Employee state
141-145	Zip	5	Employee zip
146-149	Zip Extension	4	Zip extension or blanks
150-154	Blank	5	Blanks
155-177	Foreign State	23	Blanks
178-192	Foreign Postal code	15	Blanks
193-194	Country Code	2	Blanks
195-196	Optional Code	2	Blanks
197-202	Reporting Period	6	Blanks
203-213	State Quarterly Unemployment	11	Zeroes Insurance Total Wages
214-224	State Quarterly Unemployment	11	Zeroes Insurance Total Taxable Wages
225-226	Number of Weeks Worked	2	Zeroes
227-234	Date First Employed	8	Blanks
235-242	Date of Separation	8	Blanks
243-247	Blank	5	Blanks
248-267	State Employer Account Number	20	State Tax Number from TEMPRID
268-273	Blank	6	Blanks
274-275	State Code	2	System generated numeric State Code
			or Former State numeric Code
			(or Blanks for Local (city) records)
276-286	State Taxable Wages	11	STATE TAX: ERNGS YTD

+ PCS: ERNGS SUBJ STATE TAX YTD or STATE TAX: FORMER EARNINGS YTD + PCS FRMR ERN SUBJ ST TAX YTD (includes SLR; has already had FSA HC: FED YTD DED and FSA DC: FED YTD DED subtracted out) STATE TAX: YTD

287-297 State Income Tax Withheld

11

+ PCS: STATE TAX WITHHELD YTD or STATE TAX: FORMER W/H YTD + PCS: FRMR W/H SUBJ ST TAX YTD

#### State Record (Code RS-continued)

Length	Specification
Data 10	Blanks
ode 1	'C' for city, 'D' for county
le Wages 11	LOCAL TAX ENTITY: YTD WH
	+ PCS: ERNGS SUBJ CITY TAX YTD
	or CITY TAX: FORMER EARNINGS YTD
	+ PCS-FRMR ERN SUBJ CITY TAX YTD
	(includes SLR; has already had FSA HC: FED YTD
	DED and FSA DC: FED YTD DED subtracted out)
e Tax Withheld 11	LOCAL TAX ENTITY: YTD WH
	+ PCS: CITY TAX WITHHELD YTD or
	CITY TAX: FORMER W/H YTD
	+ PCS: FRMR W/H SUBJ CITY TAX YTD
Number 7	Blanks
al Data 1 75	Blanks
al Data 2 75	Blanks
25	Blanks
	Data 10 ode 1 le Wages 11  e Tax Withheld 11  ol Number 7 al Data 1 75 al Data 2 75

# Total Record (Code RT)

Location	Field	Length	Specifications
1-2	Record Identifier	2	'RT'
3-9	Number of RW Records	7	System generated
10-24	Wages Tips and Other	15	System generated
			Compensation
25-39	Federal Income Tax Withheld	15	System generated
40-54	Social Security Wages	15	System generated
55-69	Social Security Tax Withheld	15	System generated
70-84	Medicare Wages and Tips	15	System generated
85-99	Medicare Tax Withheld	15	System generated
100-114	Social Security Tips	15	Zeroes
115-129	Advance Earned Income Credit	15	System generated
130-144	Dependent Care Benefits	15	Zeroes
145-159	Deferred Compensation	15	System generated (TSP and TSP CATCH-UP)
			Contributions to Section 401(k)
160-174	Deferred Compensation	15	Zeroes
			Contributions to Section 403(b)
175-189	Deferred Compensation	15	Zeroes
			Contributions to Section 408(k) (6)
190-204	Deferred Compensation	15	Zeroes
			Contributions to Section 457(b)
205-219	Deferred Compensation	15	Zeroes
			Contributions to Section 501(c)(18)(D)
220-234	Military Employees Basic Quarte	ers 15	Zeroes
			Subsistence and Combat Pay
235-249	Non-Qualified Plan Section457	15	Zeroes
			Distributions or Contributions
250-264	Blank	15	Blanks
265-279	Non-Qualified Plan Not Section	15	Zeroes
			457 Distributions or Contributions
280-294	Blank	15	Blanks
295-309	Blank	15	Blanks
310-324	Employer Cost of Premiums for	15	Zeroes
			Group Term Life Insurance over 50,000
325-339	Income Tax Withheld by Third-	15	Zeroes
			Party Payer
340-354	Income from the Exercise	15	Zeroes
	of Non-statutory Stock Options		

N-SSA-9

355-512 Blank 158 Blanks

### Final Record (Code RF)

Location	Field	Length	Specifications
1-2	Record Identifier	2	'RF'
3-7	Blank	5	Blanks
8-16	Number of RW Records	9	System generated
17-512	Blank	496	Blanks

SOURCE DATA SPECIFICATIONS FOR USDA NATIONAL FINANCE CENTER THRIFT SAVINGS PLAN DATASET

# Thrift Savings Plan (TSP) Employee Records

Таре	Tape Density	Rec Size	Blk Size	Rec Type	JCL-ENTERED-LABEL	Record-sequence
TSP	1600	80 - 254	2548	VB	PRODNPPS.TAPE.TSP	Record number within TSP. One header and one trailer record per center.

Record Type	Record Use
Header	To identify the submitting installation
06	To contain employee identification information
16	Current payment record; all positive values
26	Refunds of payments made in error; all negative values
46	Resubmission of previously rejected payments; all positive values
86	Current payment record for Catch-Up; all positive values
29	Refunds of payments made in error for Catch-up; all negative values
88	Resubmission of previously rejected Catch-up payments; all positive values
Trailer	To total employee records in this submission

# TSP Employee Data Record (Record Number 06)

(Only submitted to establish accounts or to correct previously submitted information.)

(Only submitted to establish accounts or to correct previously submitted information.)  Field					
Number	Length	Column	Source Data Field	Remarks	
1	9	1-9	SSN		
2	8	10-17	DATE OF BIRTH	Birthdate from NPS2- PER-MASTER (YYYYMMDD)	
3	8	18-25	CTL-TSP-EFFDATE TSP effective date	EFFDATE from NPS2- PAYCTL-TABLE (YYYYMMDD)	
4	2	26-27	TSP: RECORD NUMBER	Always "06"; system generated	
5	17	28-44	NAME: LAST	First 17 of the 22 character source field	
6	12	45-56	NAME: FIRST		
7	12	57-68	NAME: MIDDLE		
8	9	69-77	SSN: PREVIOUS		
9	8	78-85	MER-TSP-DOBERR	YYYYMMDD	
10	25	86-110	ADDRESS: MAILING address line 1	First 25 of the 35 character source field	
11	25	111-135	ADDRESS: MAILING address line 2	First 25 of the 35 character source field	
12	25	136-160	Blanks address line 3		
13	20	161-180	ADDRESS: MAILING city		
14	3	181-183	ADDRESS: MAILING state		
15	9	184-192	ADDRESS: MAILING ZIP code		
16	1	193	TSP: EMPLOYEE STATUS CODE		
17	8	194-201	TSP: EMPLOYEE STATUS DATE	YYYYMMDD	
18	16	202-217	INSTALL-TSP-LOCATION	From table TINSTALL	
19	8	218-225	TSP: SCD	YYYYMMDD	
20	1	226	TSP: VESTING PERIOD		
21	1	227	RETIREMENT PLAN		
22	1	228	Employment Code		
23	8	229-236	Employment Code Date	YYYYMMDD	

237-250 Blanks

24

14

# TSP Employee Current Payment Record (Record Number 16)

Field Number	Length	Column	Source Data Field	Remarks
1	9	1-9	SSN	
2	8	10-17	DATE OF BIRTH	Birthday from NPS2- PER-MASTER (YYYYMMDD)
3	8	18-25	CTL-TSP-EFFDATE Must be YYYYMMDD	Blank or TSP effective date from TSPADJ if adjustment type 16 (YYYYMMDD)
4	2	26-27	TSP: RECORD NUMBER	Always "16"; system generated
5	18	28-45	Filler	Always blanks
6	6	46-51	TSP: CY DED DISTR B/W MER-TSP-EMPDIST-DED(1) or MER-TPS-EMP-LATE-PMT(1)	EMP contribution or EMP contribution late payment (adjustment type 16)
7	42	52-93	Filler	Always blanks
8	6	94-99	TSP: GOVT-BASIC AMT DISTR B/W MER-TSP-GBADIST(1) or MER-TSP-GB-LATE-PMT(1)	GOVT Basic or GOVT Basic late payment (adjustment type 16)
9	18	100-117	Filler	Always blanks
10	6	118-123	TSP: GOVT MATCHING DISTR B/W MER-TSP-GMADIST(1) OR MER-TSP-EMP-GM-LATE- PMT(1)	Govt matching or Govt matching late payment (adjustment type 16)
11	2	124-125	TSP department MER-TSP-DEPT	
12	2	126-127	TSP agency MER-TSP-AGENCY	
13	23	128-150	Filler	Always blanks

# Employee TSP Negative Adjustment Record (Record Number 26)

Field			,	
Number	Length	Column	Source Data Field	Remarks
1	9	1-9	SSN	
2	8	10-17	DATE OF BIRTH	From NPS2-PER-MASTER (YYYYMMDD )
3*	8	18-25	NPPS-TSP-ADJ-DATE effective date	From NPS2-PAY-TSP-ADJ (YYYYMMDD )
4	2	26-27	TSP: RECORD NUMBER	Always "26"; system generated
5	18	28-45	Filler	Always blanks
6	6	46-51	NPPS-TSP-EADJ-G (1-26)	Employee contribution, (adjustment type 26)
7	42	52-93	Filler	Always blanks
8	6	94-99	NPPS-TSP-GBAD-G (1-26)	Government basic contribution (adjustment type 26)
9	18	100-117	Filler	Always blank
10	6	118-123	NPPS-TSP-GMAD-G (1-26)	Government match contribution (adjustment type 26)
11	2	124-125	TSP department MER-TSP-DEPT	
12	2	126-127	TSP agency MER-TSP-AGENCY	
13	23	128-150	Filler	Always blank

<sup>\*</sup> From NPS2-PAY-TSP-ADJ.

### **Employee TSP Late Payment Record (Record Number 46)**

(TSP: Record Number = 46 are for resubmissions only. These TSP records do not affect net pay.)

Field

Field	1	0-1	Course Data Field	Damania
Number	Length	Column	Source Data Field	Remarks
1	9	1-9	SSN	
2	8	10-17	DATE OF BIRTH	From NPS2-PER-MASTER YYYYMMDD
3*	8	18-25	MER-TSP-EFFDATE	From NPS2-MER-FILE YYYYMMDD
4	2	26-27	TSP: RECORD NUMBER	Always "46"; system generated
5	18	28-45	Filler	Always blanks
6	6	46-51	NPPS-TSP-EADJ-G (27-52)	Employee contribution; (adjustment type 46)
7	42	52-93	Filler	Always blanks
8	6	94-99	NPPS-TSP-GBAD-G (27-52)	Government basic contribution; (adjustment type 46)
9	18	100-117	Filler	Always blank
10	6	118-123	NPPS-TSP-GMAD-G (27-52)	Government matching contribution; (adjustment type 46)
11	2	124-125	TSP department MER-TSP-DEPT	
12	2	126-127	TSP agency MER-TSP-AGENCY	
13	23	128-150	Filler	Always blank

<sup>\*</sup> From NPS2-MER-FILE.

#### **TSP Header Data Record**

Field Number	Length	Column	Source Data Field	Remarks
1	4	1-4	Record ID	Always "DHD6"; system generated
2	6	5-10	TSP-CERT-RPT-NO	First two bytes equal the "year" in CTL-DATE. The last four bytes equal to CTL-TSP-TAPE-SEQ in NPS2-PAYCTL-TABLE
3	8	11-18	CTL-TSP-EFFDATE	From NPS2-PAYCTL- TABLE effective date (YYYYMMDD)
4	8	19-26	INSTALLATION: PAYROLL OFFICE NUM	
5	30	27-56	INSTALLATION: TSP CONTACT NAME	
6	10	57-66	INSTALLATION: TSP PHONE	No dashes
7	14	67-80	Filler	

# TSP Employee Current Payment Record for Catch-up (Record Number 86)

Field Number	Length	Column	Source Data Field	Remarks
1	9	1-9	SSN	
2	8	10-17	DATE OF BIRTH	Birthday from NPS2- PER-MASTER (YYYYMMDD)
3	8	18-25	CTL-TSP-EFFDATE Must be YYYYMMDD	Blank or TSP effective date from TSPADJ if adjustment type 86 (YYYYMMDD)
4	2	26-27	TSP: RECORD NUMBER	Always "86"; system generated
5	18	28-45	Filler	Always blanks
6	6	46-51	NPPS-TSP-CU-ADJ-AMT (53-78)	EMP contribution or EMP contribution late payment for Catch-Up (adjustment type 86)
7	42	52-93	Filler	Always blanks
8	6	94-99	Filler	Always blanks
9	18	100-117	Filler	Always blanks
10	6	118-123	Filler	Always blanks
11	2	124-125	TSP department MER-TSP-DEPT	
12	2	126-127	TSP agency MER-TSP-AGENCY	
13	23	128-150	Filler	Always blanks

# Employee TSP Negative Adjustment Record for Catch-up (Record Number 29)

Field Number	Length	Column	Source Data Field	Remarks
1	9	1-9	SSN	
2	8	10-17	DATE OF BIRTH	From NPS2-PER-MASTER (YYYYMMDD )
3*	8	18-25	NPPS-TSP-ADJ-DATE effective date	From NPS2-PAY-TSP-ADJ (YYYYMMDD )
4	2	26-27	TSP: RECORD NUMBER	Always "29"; system generated
5	18	28-45	Filler	Always blanks
6	6	46-51	NPPS-TSP-CU-ADJ-AMT (1-26)	Employee contribution, for Catch-Up (adjustment type 29)
7	42	52-93	Filler	Always blanks
8	6	94-99	Filler	Always blanks
9	18	100-117	Filler	Always blanks
10	6	118-123	Filler	Always blanks
11	2	124-125	TSP department MER-TSP-DEPT	
12	2	126-127	TSP agency MER-TSP-AGENCY	
13	23	128-150	Filler	Always blank

<sup>\*</sup> From NPS2-PAY-TSP-ADJ.

# Employee TSP Late Payment Record for Catch-up (Record Number 88)

(TSP: Record Number = 88 are for resubmissions only. These TSP records do not affect net pay.)

Field Number	Length	Column	Source Data Field	Remarks
Humber	Longin	Joidinii	Godiec Bata i icia	Remarks
1	9	1-9	SSN	
2	8	10-17	DATE OF BIRTH	From NPS2-PER-MASTER YYYYMMDD
3*	8	18-25	MER-TSP-EFFDATE	From NPS2-MER-FILE YYYYMMDD
4	2	26-27	TSP: RECORD NUMBER	Always "88"; system generated
5	18	28-45	Filler	Always blanks
6	6	46-51	NPPS-TSP-CU-ADJ-AMT (27- 52)	Employee contribution for TSP Catch-Up; (adjustment type 88)
7	42	52-93	Filler	Always blanks
8	6	94-99	Filler	Always blanks
9	18	100-117	Filler	Always blank
10	6	118-123	Filler	Always blanks
11	2	124-125	TSP department MER-TSP-DEPT	
12	2	126-127	TSP agency MER-TSP-AGENCY	
13	23	128-150	Filler	Always blank

<sup>\*</sup> From NPS2-MER-FILE.

#### **TSP Trailer Data Record**

Field			Tor Trailer Bata Record	
Number	Length	Column	Source Data Field	Remarks
1	4	1-4	Record ID	Always "TRLR"; system generated
2	14	5-18	Total employee contribution	System calculated
				(16, 16 Adj, and 46; 86, 86 Adj, and 88)
3	14	19-32	Filler	
4	14	33-46	Total gov basic amt.	System calculated
				(16, 16 Adj, and 46)
5	14	47-60	Total gov matching amt.	System calculated
				(16, 16 Adj, and 46)
6	14	61-74	Total emp negative adjustment amt.	System calculated (records "26" and "29")
7	14	75-88	Filler	
8	14	89-102	Total Gov't basic adj.	System calculated (records "26")
9	14	103-116	Total Gov't match adj	System calculated (records "26")
10	8	117-124	Total "06" records	System calculated
11	8	125-132	Total "16" and "46" & "86" and "88" records	System calculated
12	8	133-140	Total negative adjustment records (records "26" and "29")	System calculated
13	11	141-151	A numeric field	System generated; zero filled
14	49	152-200	Blank	

# SOURCE DATA SPECIFICATIONS FOR NEBA INTERFACE TAPES

# **NEBA Tape Specifications**

	Таре	Tape Density	Rec Size	Blk Size	Rec Type	JCL-ENTERED-LABEL
ı	NEBA	6250	111	11100	FB	PRDNPPS.TPAE.NEBA

# **NEBA Tape Data Record**

Field				
Number	Length	Column	Source Data Field	Remarks
1	22	1-22	Last Name	
2	12	23-34	First Name	
3	1	35	Middle Initial	
4	3	36-38	Genealogical Suffix	
5	9	39-47	SSN	
6	2	48-49	Age	
7	7	50-56	Basic Coverage	N7
8	7	57-63	Spouse Coverage	N7
9	7	64-70	Optional Coverage	N7
10	6	71-76	Basic Deduction	N4.2
11	6	77-82	Spouse Deduction	N4.2
12	6	83-88	Optional Deduction	N4.2
13	6	89-94	Total Deduction	N4.2
14	8	95-102	LWOP Date	YYYYMMDD format
15	8	103-110	Chapter Departure	YYYYMMDD format
16	1	111	Smoker Flag	
17	5	112-116	Travel Deduction	N3.2
18	7	117-123	Travel Coverage	N7
19	7	124-130	Spouse Travel Coverage	N7

# **NEBA Tape Totals Record**

NEBA Tape Totals Necolu					
Field Number	Length	Column	Source Data Field	Remarks	
1	2	1-2	Code	"%%"	
2	6	3-8	SSN Count	N6	
3	12	9-20	Basic Coverage	N12	
4	12	21-32	Spouse Coverage	N12	
5	12	33-44	Optional Coverage	N12	
6	14	45-58	Basic Deduction	N12.2	
7	14	59-72	Spouse Deduction	N12.2	
8	14	73-86	Optional Deduction	N12.2	
9	14	87-100	Total Deduction	N12.2	
10	11	101-110	Travel Deduction	N8.2	
11	10	111-120	Travel Coverage	N10	
12	10	121-130	Spouse Travel Coverage	N10	

# **NEBA Tape Installation Record**

Field Number	Length	Column	Source Data Field	Remarks
1	2	1-2	Code	"##"
2	40	3-42	Installation Name	
3	8	43-50	Pay Period Date	YYYYMMDD format
4	30	51-80	Report Name	NEBA Biweekly Summary
5	31	81-111	System Name	NASA Personnel and Payroll System

SOURCE DATA SPECIFICATIONS FOR NATIONAL DIRECTORY OF NEW HIRES / CHILD SUPPORT ENFORCEMENT / HHS BIWEEKLY HIRES FILE

# W-4 New Hire Dataset W4 Transmitter Record (H4 Header Record)

Field Number	Length	Column	Source Data Field	Remarks
1	2	1-2	'H-4'	Identifies header record
2	2	3-4	Blank	State FIPS code (for states only)
3	9	5-13	NPS2-INSTALL-TBL INSTALL-FED-ID-W2 for Marshall 630422638. Will be Marshall number for all centers because Marshall is the transmitter.	Federal Agency Code (for federal agencies only)
4	2	14-15	'W-4'	'W4' for W4 data
5	1	16	Blank	
6	2	17-18	'01'	Must be '01', controlled by OCSE
7	8	19-26	YYYYMMDD system date	Format = YYYYMMDD Must be current system date of file generation
8	6	27-32	0000PP	Sequential number to identify a submission as unique using pay period number preceded by zeroes with an option to input manually.
9	769	33-801	Blank	Spaces To be used for future versions

#### W-4 Total Record

Field Number	Length	Column	Source Data Field	Remarks
1	2	1-2	'T-4'	Identifies total record
2	11	3-12		Total record count for transmission, including header and footer record.
3	788	14-801	Blank	Spaces. To be used for future versions

#### W-4 Data Record

Field			W + Buta Neccia	
Number	Length	Column	Source Data Field	Remarks
1	2	1-2	'W-4'	Identifies data record
2	9	3-11	NPS2-PAY-MASTER. PAY-SSN	As reported by employee
3	16	12-27	NPS2-PAY-MASTER. PAY-NAME-FIRST	At least one character. No special characters.
4	16	28-43	NPS2-PAY-MASTER. PAY-NAME-MI	If non-blank, must be at least one character No special characters.
5	30	44-73	NPS2-PAY-MASTER. PAY-NAME-LAST	At least one character. No special characters, except for hyphen.
6	40	74-113	NPS2-ADDRESS-FILE. ADDR-HOME-1	Non-blank
7	40	114-153	NPS2-ADDRESS-FILE. ADDR-HOME-2	If address line is less than 40 characters, do not concatenate into one line.
8	40	154-193	Blank	
9	25	194-218	NPS2-ADDRESS-FILE. ADDR-HOME-CITY	At least one character. No special characters, except for hyphen.
10	2	219-220	NPS2-ADDRESS-FILE. ADDR-HOME-STATE	Valid state or territory abbreviation
11	5	221-225	NPS2-ADDRESS-FILE. ADDR-HOME- Leftmost 5 positions of NPS2-HOME-ZIP	Must be numeric
12	4	226-229	NPS2-ADDRESS-FILE Rightmost 4 positions of NPS2-HOME-ZIP	If present, must be numeric
13	2	230-231	Blank	Refer to U.S. Department of Commerce FIPS code manual, National Institute of Standards and Technology, FIPS PUB 10-4 (April 1995)

N-NEWHIRE-3

#### W-4 Data Record

Field Number	Length	Column	Source Data Field	Remarks
14	25	232-256	Blank	If present, at least two characters
15	15	257-271	Blank	
16	8	272-279	NPS2-PAY-MASTER. PAY-BIRTH-DATE - YYYYMMDD	If present, numeric Format YYYYMMDD
17	8	280-287	NPS2-PAY-MASTER. PAY-EOD-DATE - YYYYMMDD	If present, numeric Format YYYYMMDD
18	2	288-289	NPS2-PAY-MASTER. PAY-STATE-CODE	Alphabetic state or territory abbreviation
19	9	290-298	NPS2-INSTALL-TBL INSTALL-FED-ID-W2 for Marshall	Federal Employer Identification Number
20	12	299-310	Blank	If no FEIN is available, send the state EIN. If present and less than 12 characters, left justify.
21	45	311-355	NPS2-INSTALL-TBL INSTALL-NAME FEIN	At least two characters address from W4
22	40	356-395	NPS2-INSTALL-TBL INSTALL-ADDRESS	At least two characters
23	40	396-435	Blank	
24	40	436-475	Blank	
25	25	476-500	NPS2-INSTALL-TBL NPS2-ADDR-CITY	At least two characters
26	2	501-502	NPS2-INSTALL-TBL NPS2-ADDR-ST	Valid state or territory abbreviation
27	5	503-507	NPS2-INSTALL-TBL Leftmost 5 positions of INSTALL-ADDR-ZIP	Must be numeric
28	4	508-522	NPS2-INSTALL-TBL Rightmost 4 positions of INSTALL-ADDR-ZIP	If present, must be numeric

#### W-4 Data Record

Field	W-4 Data Necolu				
Number	Length	Column	Source Data Field	Remarks	
29	2	512-513	Blank	Refer to U.S. Department of Commerce FIPS code manual, National Institute of Standards and Technology, FIPS PUB 10-4 (April 1995)	
30	25	514-538	Blank	If present, at least two characters	
31	25	539-553	Blank	This address will be blank if only collecting one address. If there is a second address, it should be the address where child support orders should be sent	
32	40	554-593	Blank	If address line is less than 40 characters, do not concatenate into one line	
33	40	594-633	Blank		
34	40	634-673	Blank		
35	25	674-698	Blank	If present, at least two characters	
36	2	699-700	Blank	If present, valid state or territory	
37	5	701-705	Blank	If present, must be numeric	
38	4	706-709	Blank	If present, must be numeric	
39	2	710-711	Blank	Refer to U.S. Department of Commerce FIPS code manual, National Institute of Standards and Technology, FIPS PUB 10-4 (April 1995)	
40	25	712-736	Blank	If present, at least two characters	
41	15	737-751	Blank		
42	50	752-801	Blank	Spaces. To be used for future versions	

SOURCE DATA SPECIFICATIONS FOR NATIONAL DIRECTORY OF NEW HIRES / CHILD SUPPORT ENFORCEMENT / HHS QUARTERLY WAGES FILE

#### **Quarterly Wage Transmitter Record**

Field Number	Length	Column	Source Data Field	Remarks
Hambon	Longai	Goldmin	Course Butta Field	Komarko
1	2	1-2	'HQ'	Identifies header record
2	2	3-4	Blank	State FIPS code (for states only)
3	9	5-13	INSTALL-FED-ID-W2 from NPS2-INSTALL-TBL for Marshall 630422638. Will be Marshall number for all centers because Marshall is the transmitter	Federal Agency Code(for federal agencies only)
4	2	14-15	'QW'	'QW' for quarterly wage data
5	1	16	Blank	
6	2	17-18	'01'	Must be '01', controlled by OCSE
7	8	19-26	YYYYMMDD system date	Format = YYYYMMDD Must be current system date of file generation
8	6	27-32	000001 for first transmission 000002 for re-transmit, etc.	Sequential number to identify a submission as unique
9	569	33-601	Blanks	Spaces To be used for future versions

#### **Quarterly Wage Total Record**

Field Number	Length	Column	Source Data Field	Remarks
1	2	1-2	'TQ'	Identifies total record
2	11	3-13	Total record count for transmission including header and trailer record	Total record count for transmission including header and trailer record
3	588	14-601	Blank	Spaces To be used for future versions

#### **Quarterly Wage Data Record**

Field Number	Length	Column	Source Data Field	Remarks
1	2	1-2	'QW'	Identifies data record
2	9	3-11	NPS2-PAY-MASTER PAY-SSN	As reported by employee
3	16	12-27	NPS2-PAY-MASTER PAY-NAME-FIRST	At least one character No special characters
4	16	28-43	NPS2-PAY-MASTER PAY-NAME-MI	If non-blank, must be at least one character. No special characters.
5	30	44-73	NPS2-PAY-MASTER PAY-NAME-LAST	At least one character. No special characters, except for hyphen
6	11	74-84	NPS2-PAY-MASTER PAY-QTD-HIT-EARN	Last two positions are decimal places. No negative values, zeroes, are allowed. Gross amount paid within the quarter.
7	5	85-89	Format = QYYYY	Format = QYYYY for calendar year. User input parameter Q = 1 for Jan - Mar Q = 2 for Apr - Jun Q = 3 for Jul - Sep Q = 4 for Oct - Dec
8	9	90-98	NPS2-INSTALL-TBL INSTALL-FED-ID-W2 Marshall's number will be used for all records	Federal Employer Identification Number.
9	12	99-110	Blank	If present and less than 12 characters, left justify
10	45	111-155	NPS2-INSTALL-TBL INSTALL-NAME	At least two characters FEIN address
11	40	156-195	NPS2-INSTALL-TBL INSTALL-ADDRESS	At least two characters
12	40	196-235	Blank	If address line is less than 40 characters, do not concatenate into one line
13	40	236-275	Blank	
14	25	276-300	NPS2-INSTALL-TBL NPS2-ADDR-CITY	At least two characters

N-QWAGE-3

#### **Quarterly Wage Data Record**

Field Number	Length	Column	Source Data Field	Remarks
15	2	301-302	NPS2-INSTALL-TBL NPS2-INSTALL-ST	Valid state or territory abbreviation
16	5	303-307	NPS2-INSTALL-TBL Leftmost 5 position of INSTALL-ADDR-ZIP	
17	4	308-311	NPS2-INSTALL-TBL Rightmost 4 positions of INSTALL-ADDR-ZIP	If present, must be numeric
18	2	312-313	Blank	Refer to U.S. Department of Commerce FIPS code manual, National Institute of Standards and Technology, FIPS Pub 10-4 (April 1995)
19	25	314-338	Blank	If present, at least two characters
20	15	339-353	Blank	This address will be blank if only collecting one address. If there is a second address, it should be the address where child support orders should be sent.
21	40	354-393	Blank	At least two characters
22	40	394-433	Blank	If address line is less than 40 characters, do not concatenate into one line
23	40	434-473	Blank	
24	25	474-498	Blank	If present, at least two characters
25	2	499-500	Blank	If present, valid state or territory abbreviation
26	5	501-505	Blank	If present, must be numeric
27	4	506-509	Blank	If present, must be numeric
28	2	510-511	Blank	Refer to U.S. Department of Commerce FIPS code manual, National Institute of Standards and Technology, FIPS Pub 10-4 (April 1995)
29	25	512-536	Blank	If present, at least two characters
30	15	537-551	Blank	
31	50	552-601	Blank	Spaces To be used for future version

### SOURCE DATA SPECIFICATIONS FOR CALIFORNIA STATE QTD INTERFACE TAPES

#### California State QTD Tax "Tape" Specifications

Tape	Density	Rec Size	Blk Size	Rec Type	LABEL
CAL QTD	6250	517	12800	FB	see JCL

Record Identifier	Remarks
RE	Employer Records; a separate "RE" record for each California State account number a branch reported on the tape file. All "RS" records associated with the "RE" record must follow.
RS	Employee Records; the employee records are in SSN order. The employee name field has the surname first, as identified by a "name code" in the "RE" record.
RST	California State Total Record; this record contains totals from the preceding "RS" records. This is the last record on the Tape.

An "RE" record must have at least one "RS" record.

### California QTD State Tax Tape (Record Identifier "RE")

				(Record identifier RE)	
Fie Num		Length	Column	Source Data Field	Remarks
1	1	2	1-2	Record identifier	Always "RE"
2	2	37	3-39	Blanks	
3	3	57	40-96	Employer Name	Left justified, blank fill Hard coded (*)
2	1	22	97-118	Employer Location Address	Any additional address of employer info such as suite, floor, bldg. #, etc.
Ę	5	22	119-140	Employer Delivery Address	Street address or P.O. box # of employer Left justified, blank fill
6	6	22	141-162	Employer City	Employer city Left justified, blank fill
7	7	2	163-164	Employer State	Standard Pips Postal Abbreviation
3	3	5	165-169	Zip Code	Valid Zip Code. If foreign Postal Codes, continue foreign Postal Code Positions 170-173 or blanks
9	9	4	170-173	Zip Code extension	Four digit extension of Zip Code or blanks
1	0	339	174-512	Blanks	Blanks

<sup>(\*)</sup> NATIONAL AERONAUTICS SPACE ADMINISTRATION

### California State QTD Tax "Tape" Specifications (Record Identifier "RS")

Field			(1.000.0.100.110.)	
Number	Length	Column	Source Data Field	Remarks
1	2	1-2	Record identifier	Always "RS"
2	2	3-4	State Code	State Code (Constant 'D6' for California)
3	5	5-9	Blank	Blank fill
4	9	10-18	Social Security Number	Employee SSN - if not available, 'I' left justified
5	15	19-33	Employee first name	Employee's full first name, left justified, blank fill
6	15	34-48	Employee middle name or initial	Employee's middle name or initial
7	20	49-68	Employee last name	Employee's last name
8	126	69-194	Blanks	Blank fill
9	1	195	Wage Plan Code	Wage Plan Code - See page 32, Sect. E. Do not leave blank.
10	1	196	Blanks	Blank fill
11	6	197-202	Reporting period	Last month of quarter being reported and 4 position year. E.g. 1st qtr = '031999'
12	11	203-213	Blanks	Blank fill
13	34	214-247	Blanks	Blank fill
14	8	248-255	State employer account number.	Number assigned by EDD. 7 digit account number followed by a check digit
15	3	256-258	Branch Code	Zero fill
16	17	259-275	Blanks	Blank fill
17	11	276-286	Quarterly Personal Income Tax wages (State taxable wages)	Employees quarterly PIT wages (Total earnings subject to CA state tax)
18	11	287-297	Quarterly Personal Income Tax withheld	Quarterly CA state tax withheld
19	215	298-512	Blanks	Blank fill

### California State QTD Tax "Tape" Specifications (Record Identifier "RST")

Field			(**************************************	,			
Number	Length	Column	Source Data Field	Remarks			
1	3	1-3	Record identifier	Always "RST"			
2	7	4-10	Total number "RS" records	Calculated			
3	1	11	Blank				
4	2	12-13	State Code	Always "06"			
5	1	14	Blank				
6	14	15-28	Quarterly Unemployment Insurance total wages	Total of positions 203-213 from 'RS' records			
7	1	29	Blank				
8	14	30-43	Quarterly personal income tax wages by employees	Sum of total tax withheld (sum of field 17 on "RS" Rec)			
9	1	44	Blank				
10	14	45-58	CA state tax withheld	Total of field 18 in record (Positions 287-297)			
11	1	59	Blank				
12	7	60-66	Month 1 employment for employer	Total number of employees full and part time who received VI wages for pay period including 12th day of first month			
13	1	67	Blank	Blank			
14	7	68-74	Month 2 employment for employer	Numeric Field. Same as field 12 except for 12th day of month 2			
15	1	75	Blank	Blank			
16	14	76-82	Month 3 employment for employer	Same as field 12 except for 12th and 5th day of month 3. (Sum of field 13 on "S" Rec)			
17	430	83-512	Blank	Blank			

Note: The Numeric Fields above must be zero filled.

## SOURCE DATA SPECIFICATIONS FOR FEDERAL RESERVE BANK - PITTSBURGH NDM DATASET

#### **Federal Reserve Bank Bond NDM Dataset Specifications**

Таре	Tape Density	Rec Size	Blk Size	Rec Type	* = Major sort Record-sequence
BONDE		30-210	2104	VB	Employee SSN within *bond denomination Subtotal record by bond denomination
BONDI		30-210	2104	VB	Employee SSN within *bond denomination Subtotal record by bond denomination

Note: The record sizes for Variable Blocked (VB) records include the 4 bytes used by the operation system that gives the record length.

Note: Federal Reserve Requires separate transmissions for Series EE and Series I.

BONDE is Series EE Bonds. BONDI is Series I Bonds.

The file format is the same for both.

Control Record Field		'	Bond Tape Bata Necord	
Number	Length	Column	Source Data Field	Remarks
1	1	1	Record type	always 'A'
2	4	2-5	Issue Month and Year	current month and year
3	10	6-15	Company Identification Number	'779101 '
4	10	16-25	Location Identification Number	'0024 '
5	6	26-31	Pay End Date NPS2-PAYCTL-TABLE.CTL- DATE	
6	33	32-64	Company Name	'NASA'
7	33	65-97	Company street address NPS2-INSTALL-TBL.INSTALL- ADDRESS	
8	20	98-117	Company city NPS2-INSTALL-TBL.INSTALL- ADDR-CITY	
9	2	118-119	Company state NPS2-INSTALL-TBL.INSTALL- ADDR-ST	
10	5	120-124	Company zip NPS2-INSTALL-TBL.INSTALL- ADDR-ZIP	
11	4	125-128	Company plus 4 zip	blanks
12	9	129-137	Reserve account number	blanks
13	4	138-141	Reserve account branch	blanks
14	1	142	Order type	zero
15	6	143-148	Total number of \$50 savings bonds for Agency (only available for I Bonds)	
16	6	149-154	Total number of \$75 savings bonds for Agency (only available for I Bonds)	
17	6	155-160	Total number of \$100 savings bonds for agency	
18	6	161-166	Total number of \$200 savings bonds for agency	
19	6	167-172	Total number of \$500 savings bonds for agency	

Control R	Record	'	Bond Tape Bata Necord	
Number	Length	Column	Source Data Field	Remarks
20	6	173-178	Total number of \$1000 savings bonds for agency	
21	6	179-184	179-184 Total number of \$5000 savings bonds for agency	
22 6 185-190 Total number of \$10000 savings bonds for agency				
23	10	191-200	Total purchase price of order (implied decimal between 198-199)	
24	3	201-203	FRB District Designator	'004'
25	30	204-233	FRB designated field	blanks
26	2	234-235	Series Designator (Either 'EE' or 'I ' ('I' followed by a space))	Alphanum
	3	236-238	Identification Value (Use 000)	Alphanum
	82	239-320	Filler (Should contain spaces)	Alphanum

Bond Inse Field Number	cription In Length	formation F Column	Record Source Data Field	Remarks
1	1	1	Record Type	'B'
2	9	2-10	NPS2-ADDRESS-FILE. BOND-OWNER-SSN	
3	33	11-43	NPS2-ADDRESS-FILE. BOND-OWNER-NAME	
4	1	44	USA/Foreign indicator	0 = USA address, 1 = foreign
5	1	45	Mail To: designator	zero
6	33	46-78	NPS2-ADDRESS-FILE. BOND-OWNER-ADDR-1	
7	33	79-111	NPS2-ADDRESS-FILE. BOND-OWNER-ADDR-2	
8	33	112-144	Address Line	If field 4 = 1 insert foreign country name; else, insert blanks
9	20	145-164	NPS2-ADDRESS-FILE. BOND-OWNER-CITY	
10	2	165-166	NPS2-ADDRESS-FILE. BOND-OWNER-ST	
11	5	167-171	NPS2-ADDRESS-FILE.BOND- OWNER-ZIP	
12	4	172-175	Plus four zip code (optional)	
13	3	176-178	NPS2-ADDRESS-FILE. BOND-COBEN-CODE	OR = co owner POD = beneficiary Blanks if neither
14	28	179-206	NPS2-ADDRESS-FILE. BOND-COBEN-NAME	
15	1	207	NPS2-PAY-MASTER. PAY-BOND-CODE	2 = \$50 (Series I) 3 = \$75 (Series I) 4 = \$100, 5 = \$200, 6 = \$500, 7 = \$1000, 8 = \$5000, 9 = \$10000
16	4	208-211	Number of bonds for this registration	<b>'1'</b>
17	10	212-221	Company Identification Number	'79101 '

Bond Inso Field Number	cription Inf Length	ormation F Column	Record Source Data Field	Remarks
18	10	222-231	Location Identification Number	'0024 '
19	9	232-240	NPS2-PAY-MASTER.PAY-SSN	Only if different from bond owner SSN (field 2)
20	4	241-244	NPS2-PAY-MASTER. PAY-BOND-DATE	
21	30	245-274	For FRB use	Blanks
22	46	275-320	Filler	Blanks

Trailer Re Field	ecord		•	
Number	Length	Column	Source Data Field	Remarks
1	10	1-10	End of File Indicator	999999999
2	310	11-320	Filler	blanks

#### **Bond Tape Denomination Control Record**

Field Number	Length	Column	Source Data Field	Remarks
1	6	1-6	Blanks	
2	1	7	Control record code	Always "9"; system generated
3	1	8	Bond denomination code	Bonds with like denomination are counted together.
4	11	9-19	Blanks	
5	6	20-25	Record count	System calculated (a count of bonds purchased within a bond denomination)
6	7	26	Data record mark	Back slash " \ "; system generated

#### SOURCE DATA SPECIFICATIONS FOR TRAVEL MANAGER / NPPS DATA EXTRACT DATASET

### TVL Data Record (IFM File)

(IFM File)						
Field	NPPS Travel DATA	Length	Remarks			
Sequence						
1	PAY-SSN	(12)	Employee's Social Security Number			
2	PAY-NAME-LAST	(25)	Employee name fields are the names by			
			employees can be identified by on official			
			transactions.			
3	PAY-NAME-FIRST	(15)				
4	PAY-NAME MI	(1)				
5	ADDR-HOME-1	(26)	An employee's home address as maintained			
			on the NPPS data base. An employee may			
	4 D D D 11 O M E O	(00)	or may not have ADDR-HOME-2.			
6	ADDR-HOME-2	(26)				
7	ADDR-HOME-CITY	(25)				
8	ADDR-HOME-STATE	(3)				
9	ADDR-HOME-ZIP	(10)	Value will either be 12345 or 12345-6789			
			where the numbers represent an employee's			
			zip code. A dash is present only if all nine			
			zip code numbers are present.			
10	One NULL field		Null fields are represented by '?'			
11	Station name	(26)	Value from table represented by Appendix D			
12	Combined field	(20)	First two characters of an employee's center			
			followed by a dash and the employee's PAY-			
			ORGANIZATION			
13	One NULL field					
14	ADDR-HOME-CITY	(18)	Same data as field 7			
15 <b>16-22</b>	ADDR-HOME-STATE Seven NULL fields	(3)	Same data as field 8			
23	Time zone of center	(1)	Value from table represented by Appendix D			
24-31	Eight NULL fields	(1)	value from table represented by Appendix B			
32	Required logical field	(Logical)	Always = NO			
33-38	Six NULL fields	(Logical)	Always - NO			
39-30	PAY-FLSA-STATUS	(16)	E = EXEMPT from FLSA			
4 <b>0-44</b>	Five NULL fields	(10)	E - EXEMPT HOMFESA			
<b>40-44</b> 45		(60)	From V 500 file if possible			
45	Employee's e-mail	(60)	From X.500 file if possible			
40.40	address					
46-48	Three NULL fields	(40)	localitation FFT address.			
49	PAY-ADDR-INST-NBR	(16)	Institution EFT address			
50	One NULL field	(00)				
51 52	INSTALL NAME PAY-ORGANIZATION	(26)	The name of a NASA installation			
52	PAT-ORGANIZATION	(26)	An employee's organizational code. This code is used in the creation of Field 12			
			above.			
53	INSTALL-ADDR-CITY	(18)	The city of the NASA installation			
54	INSTALL-ADDR-ST	(3)	The state of the NASA installation			
55	INSTALL-ADDR-ZIP	(10)	Same format notes apply to this zip code			

56	Employee's Office	(20)	From x.500 file if possible
	phone		
57	Employee's Office fax	(20)	From x.500 file if possible
58	Agency	(30)	Always "NASA"
59-66	Eight NULL fields		
67	Required logical field	(Logical)	Always = NO
68-69	Two NULL fields		
70	Employee's unique ID	(20)	From x.500 file if possible
71-81	Eleven NULL fields		
82	PAY-NAME-SUFFIX	(4)	
83-86	Four NULL fields		
87	INSTALL-ADDR-ST	(3)	Same as field 54
88-94	Seven NULL fields		
95	Required logical field	(Logical)	Always = NO
96	PAY-ADDR-ACCT-NBR	(17)	Field for SAP
97	PAY-ADDR-ACCT-NBR	(1)	Field for SAP

#### Notes:

This is a space delimited flat file. See the IFM TRAVEL IDA for details. No header or trailer records. NULL fields are represented with a ? (without quotes). Logical fields and field sequence #23, a numeric field, are without quotes. All other fields have a double quote before and after the field value. A quoted field that is empty is represented as an empty string by a pair of quotes ("").

Numbers in parenthesis are the maximum length indicated by the IDA. Most maximum lengths are large enough for the maximum length of the NPPS field. Exceptions to this are fields 5, 6, and 51, which may be truncated fields from the NPPS source field. See the Travel IDA for additional particulars concerning this interface.

### TVL Data Record (x500 File)

Field			,	
Nbr	Lgth	Col	Source Data Field	Remarks
1	9	1-9	Currently not used	Blanks
2	4	10-13	PAY-CENTER-CODE	Employee's NASA center
3	22	14-35	PAY-NAME-LAST	Employee's name fields as they exist within NPPS Payroll system (fields 3 through 6)
4	12	36-47	PAY-NAME-FIRST	
5	1	48	PAY-NAME-MI	
6	3	49-51	PAY-NAME-SUFFIX	
7	60	52-111	Employee's e-mail Addr	From the X.500 environment
8	20	112-131	Employee's work phone	From the X.500 environment
9	20	132-151	Employee's work FAX	From the X.500 environment
10	10	152-161	Employee's unique ID	From the X.500 environment

#### NOTES:

NPPS will generate, for each active NPPS employee, a record populating fields 2 though 6 above in the process. Employees terminating in the current pay period are not considered active for this interface. The X.500 system will read this file, and using fields 2 through 6 identify X.500 data to be placed into fields 7 through 10 for each employee interfaced. All data will be left justified with space fill as needed to the right. If X.500 processing can not identify an employee with the four name fields above, or if an X.500 field for an employee contains no data, X.500 employee field(s) will be returned with spaces. Within a center in NPPS, there are occasions where more than one employee has the same four name parts. When this occurs NPPS is still expecting to receive back from the X.500, one record for each record sent. For this duplicate name case, which could include an active and inactive NPPS employees, the NPPS side of the interface will ignore these employee's X.500 data even if data is present. From earlier analysis it is expected that about 85% of the records interfaced to X.500 will have data upon the interfaced return of this information to NPPS.

SOURCE DATA SPECIFICATIONS FOR Centralized FEHB Clearing House (CLER) Interface Files

#### File\_Specifications

Таре	Tape	Rec	Blk	Rec	*=Major sort
	Density	Size	Size	Type	Record-sequence
CLER	1600	240	2400	FB	Employee SSN, One header and one trailer record

Note: Each center has a separate file with its own header and trailer record.

#### FEHB/CLER Enrollment Record

FEHB Information Record						
Field	Length	Column	Source Data Field	Remarks		
Number						
1	8	1-8	NPS2-INSTALL-	Payroll Office Number		
			TABLE.PAYROLL-OFFICE-NO			
2	9	9-17	NPS2-PAY-MASTER.	Enrollee SSN		
			PAY-SSN			
3	3	18-20	Filler	Blanks		
4	3	21-23	NPS2-PAY-MASTER.PAY-	Do not include record if		
			HEALTH-CODE	pay health code = zzx,		
				zzy, zzz, 000, or blank		
5	6	24-29	NPS2-PAY-MASTER.PAY-CUR-	*Sum of employee		
			DOL(15) + NPS2-PAY-	payment and agency		
			MASTER.PAY-CUR-DOL-GOVT- CONTRIB + NPS2-MER-	contribution (including		
			FILE.MER-XTD-AMTS(36)	govt adjs for duty status 'L' or 'M' employees)		
6	50	30-79	NPS2-PAY-MASTER.PAY-NAME-	Enrollee last name		
Ü	00	00.0	LAST (space) PAY-NAME-	Line need tack marile		
			SUFFIX			
7	12	80-91	NPS2-PAY-MASTER.PAY-NAME-	Enrollee first name		
,	12	00 01	FIRST	Emonee mot name		
8	12	92-103	NPS2-PAY-MASTER.PAY-NAME-	Enrollee middle initial		
			MI			
9	4	104-107	NPS2-INSTALL-TABLE.INSTALL-	Agency Code		
			AGENCY-STATION-CD			
10	4	108-111	NPS2-PERCTL-TBL.PER-79CHAR	Personnel office No		
11	8	112-119	Enrollment effective date	Blanks		
12	9	120-128	Annuitant or survivor ssn	Blanks		
13	9	129-137	Pseudo ssn	Blanks		
14 15	15 15	138-152	Other payroll office enrollee id Other carrier enrollee id	Blanks		
15 <b>16</b>	15 <b>20</b>	153-167 <b>168-187</b>	Submitter use 1	Blanks Blanks		
1 <b>7</b>	20	188-207	Submitter use 2	Blanks		
18	20	208-227	Submitter use 3	Blanks		
19	13	228-240	Filler	Blanks		
13	10	220-2 <del>4</del> 0	1 11161	טומוועס		

#### FEHB/CLER Header Record

#### **Header Record**

i iciu				
Number	Length	Column	Source Data Field	Remarks
1	4	1-4	Record type	'HEAD'
2	8	5-12	NPS2-INSTALL-TBL.PAYROLL-	Payroll office No
			OFFICE-NO	
3	8	13-20	Submission date	Populate with current
				date
4	8	21-28	NPS2-PAYCTL-TABLE.CTL-TSP-	As of date in
			EFFDATE	yyyymmdd format
5	4	29-32	Reconciliation year	Populate with year
				from NPS2-PAYCTL-
				TABLE.CTL-TSP-
				EFFDATE
6	1	33	Reconciliation quarter	Populate with NPS2-
				PAYCTL-TABLE.CTL-
				QTR
7	1	34	Processing code	Blanks
8	2	35-36	File source	Blanks
9	204	37-240	Filler	blanks

#### **FEHB/CLER Trailer Record**

### Trailer Record Field

1 1014				
Number	Length	Column	Source Data Field	Remarks
1	4	1-4	Record type	'FOOT'
2	8	5-12	NPS2-INSTALL-TBL.PAYROLL-	Payroll office No
			OFFICE-NO	
3	10	13-22	Record count	Number of enrollment records in file. Do not include header and footer records.
4	12	23-34	Employee payments and agency contributions	Total from enrollment records
59	206	35-240	Filler	blanks

# SOURCE DATA SPECIFICATIONS FOR NASA WEB-BASED TIME AND ATTENDANCE DISTRIBUTION SYSTEM (WEBTADS) INTERFACE DATA

## **Dataset Specifications**

Таре	Rec Size	Blk Size	Rec Type	* = Major sort Record-sequence
NPPS to WebTADS	300	6000	FB	See comments at end of section for selection criteria
(outgoing)				One trailer record (last record on the file)
WebTADS to NPPS (incoming)	100	6000	FB	One trailer record (last record on the file)

<u>Note</u>: The record sizes for Variable Blocked (VB) records include the 4 bytes used by the operation system that gives the record length.

# NPPS to WebTADS File (OUTGOING) (Payroll Employees)

Field Number	Length	Column	Source Data Field	Remarks
1	1	1	Record Identifier	'1' for employee data
2	4	2-5	PAY-CENTER-CODE	, ,
3	2	6-7	PAY-PAYBLOCK	Default = '09'
4	9	8-16	PAY-SSN	
5	22	17-38	PAY-NAME-LAST	
6	12	39-50	PAY-NAME-FIRST	
7	1	51	PAY-NAME-MI	
8	3	52-54	PAY-NAME-SUFFIX	
9	6	55-60	PAY-EMP-NUMBER	Used by KSC to report Labor
10	8	61-68	PAY-TERM-DATE	Zeroes if active
11	1	69	PAY-FLSA-STATUS	Value 'E' or 'N' Default = 'E'
12	7	70-76	Computed CT-BALANCE	
13	7	77-83	Computed AL-BALANCE	
14	7	84-90	Computed SL-BALANCE	
15	7	91-97	Computed RL-BALANCE	
16	7	98-104	Computed CR-BALANCE	
17	7	105-111	Computed RCT-BALANCE	
18	7	112-118	Computed TOA-BALANCE	
19	5	119-123	PER-DTLORGASSIGN	Org detailed
20	5	124-128	PER-ORGLOC	Org located
21	5	129-133	PER-ORGASSIGN	Org assigned
22	2	134-135	PER-GRADE	D-f!t (00)
23	2	136-137	PER-PAYPLN	Default = 'GS'
24 25	2 1	138-139 140	PER-STEP	'A' = active
25	ı	140	Emp status	'A' = active 'T' = terminating 'L' = 80-hr-LWOP 'Z' = inactive
26	7	141-147	Computed hourly rate without local pay	Uses EMPL-BASIC- PAY-AMT
27	8	148-155	PAY-EOD-DATE	Date entered on duty at center
28	8	156-163	PAY-BIRTH-DATE	
29	5	164-168	PER-OCCODE	

N-WEBTADS- 2

# NPPS to WebTADS File (OUTGOING) (Payroll Employees)

Field Number	Length	Column	Source Data Field	Remarks
30	2	169-170	PER-PAYBASIS	Default = 'PA'
31	1	171	PER-WORKSCH	Default = 'F'
32	1	172	PER-HEAD-AGNCY	Value 'Y' or 'N'
33	1	173	PAY-HAZARD-RATE- CODE	Value 'Y' or 'N'
34	1	174	PER-POSTYPE	Convert to '6
35	1	175	PER-TENURE	Value '0', '1', '2', or '3'
36	1	176	MER-FLEX-FOR-CR-HR	Value 'Y' or 'N'
37	1	177	PAY-JOB-SERIES	'1' = Wage Board
38	1	178	PER-EMPIND	Value 'Y' or 'N'
39	1	179	PAY-NEW-EMP-CODE	Value 'Y' or 'N'
40	2	180-181	PER-PTHOURS	Default = '00'
41	119	182-300	Reserved for future use	spaces

# NPPS to WebTADS File (OUTGOING) (NON-Payroll Employees)

Fiold	Field			
Number	Length	Column	Source Data Field	Remarks
1	1	1	Record Identifier	'1' for employee data
2	4	2-5	PER-INSTALL	
3	2	6-7	PAY-PAYBLOCK	Spaces
4	9	8-16	PER-SSN	
5	22	17-38	PER-NAMELAST	
6	12	39-50	PER-NAMEFIRST	
7	1	51	PER-NAMEMIDDLE	First letter only
8	3	52-54	PER-NAMEGENSUFX	
9	6	55-60	PER-EMPNO	Used by KSC to report Labor
10	8	61-68	Termination date from history	Zeroes if active
11	1	69	PER-FLSA	Value 'E' or 'N' Default = 'E'
12	7	70-76	CT-BALANCE	Zeroes
13	7	77-83	AL-BALANCE	Zeroes
14	7	84-90	SL-BALANCE	Zeroes
15	7	91-97	RL-BALANCE	Zeroes
16	7	98-104	CR-BALANCE	Zeroes
17	7	105-111	RCT-BALANCE	Zeroes
18	7	112-118	TOA-BALANCE	Zeroes
19	5	119-123	PER-DTLORGASSIGN	
20	5	124-128	PER-ORGLOC	
21	5	129-133	PER-ORGASSIGN	
22	2	134-135	PER-GRADE	
23	2	136-137	PER-PAYPLN	
24	2	138-139	PER-STEP	
25	1	140	Emp Status	'A' = active 'Z' = inactive
26	7	141-147	Computed hourly rate without local pay	Zeroes
27	8	148-155	PAY-EOD-DATE	Date entered on duty at center
28	8	156-163	PAY-BIRTH-DATE	
29	5	164-168	PER-OCCODE	
30	2	169-170	PER-PAYBASIS	Default = 'PA'

### NPPS to WebTADS File (OUTGOING) (NON-Payroll Employees)

Field Number	Length	Column	Source Data Field	Remarks
31	1	171	PER-WORKSCH	Default = 'F'
32	1	172	PER-HEAD-AGNCY	Value 'Y' or 'N'
33	1	173	PAY-HAZARD-RATE-CODE	Always 'N'
34	1	174	PER-POSTYPE	Default = '6'
35	1	175	PER-TENURE	Value '0', '1', '2', or '3'
36	1	176	MER-FLEX-FOR-CR-HR	Always 'N''
37	1	177	PER-NCC1	NASA Code Block
38	1	178	PER-EMPIND	Value 'Y' or 'N' 'N' = non-payroll person
39	1	179	New employee code	Value 'Y' or 'N'
40	2	180-181	PER-PTHOURS	Default = '00'
41	119	182-300	Reserved for future use	spaces

### For NON-Payroll Personnel (PER-EMPIND = 'N')

Field 10 (<u>Termination date</u>), Field 25 (<u>Employee status</u>), and Field 39 (<u>New</u> employee code):

For a **"NON-Z"** value as the Personnel duty status (PER-DTYSTS = "anything-but-Z"):

Termination date = zeroes and Employee status = "A".

If the PER-EODDTE falls within the current pay period dates (as displayed on CTLPAY), then the New employee flag will be set to "Y". Otherwise the New employee flag will be "N").

If the Personnel duty status, for NON-Payroll employees has a "Z" value:

Personnel history file will be read, and if a <u>termination NOAC</u> for a Personnel matured date falls within the <u>previous</u> Pay Period, then the matured date of this termination NOAC will be the termination date, the employee status will be "Z", and the New employee flag will be "N".

NON-Payroll personnel will not have the "T" (Terminating in the current pay period) status.

Termination NOAC values are 973T, 971T, and any NOAC in the 300 series.

A draw-back for these algorithm is that with the initial interface, there may be an interfaced non-Payroll employee that is initially interfaced with a terminated status.

NON-Payroll personnel will always have zeros for the seven leave balances, and the calculated hourly rate. PAY-HAZARD-RATE-CODE, and MER-FLEX-FOR-CR-HR flags will always be equal to "N". The Pay Block for non-payroll personnel will always be equal to "09", the default value. The remaining fields will be as written for the Personnel Master file with the default values factored into the interface values generated for WebTADS.

## NPPS to WebTADS File (OUTGOING) Trailer

Field Number	Length	Column	Source Data Field	Remarks
1	1	1	Record Identifier	Always '2' for trailer record
2	16	2-17	Record type '1' Count	Count of all record type '1' records
3	8	18-25	Creation Date	Date interface record created (DATN*)
4	8	26-33	CTL-DATE	Pay ending date (YYYYMMDD)
5	267	34-300	Reserved for future use	spaces

#### Selection criteria:

Centers: Selected at run time.

Employee selection within a Center: For Payroll employees:

Inactive and reactivated employees will not be included in the interface. This will result in interfacing all active employees including those employees terminating in the current pay period with each interface. The exception to this would be employee's that terminated last pay period. This exception is to interface a final duty status of "Z" (inactive) to WebTADS. Other employee status values are "L" if PAY-DTYSTS = 'L', or "T" if terminating in the current pay period, or "A" for active.

#### For NON-Payroll employees:

All active employees will be interfaced. The exception to this is employees on the Personnel Master file with an inactive status who had a terminating NOAC with a matured date that occurred during the last pay period. This exception is to interface a final duty status of "Z" (inactive), to WebTADS.

<u>Maximum Volume:</u> Currently if all ten NASA centers were selected, then for every interface there would be approximately 19000 records with each record having 300 bytes.

#### Notes:

The seven leave balance fields and the computed hourly rate field will contain a period to indicate a decimal point. These interfaced fields will contain two decimal positions with leading zeroes. Negative values are indicated with a dash "-" in the left most position. Examples of these seven byte fields as follows:

examples:	if number is:	field will contain:
	minus 17.50	-017.50
	positive 3.25	0003.25
	ZERO	00.000
The ran	ge of numbers from ne	gative 999.99 to
positive	9999.99 or -999.99 to	9999.99

Interfaced fields that do not have default values, may be interfaced with a value of spaces (blanks).

Computation of the hourly rate using EMPL-BASIC-PAY-AMT, which does not include local pay.

hourly-rate = EMPL-BASIC-PAY-AMT / division-factor

Non-payroll personnel will interface an hourly rate of zeroes.

If EMPL-BASIC-PAY-AMT is equal to zeroes then the interface hourly rate

N-WEBTADS- 8

will be zeroes.

If the employee is an hourly paid wage-board employee, (PER-PAYBASIS = "PH" and PAY-JOB-SERIES = 1), then EMPLOYEE-BASIS-PAY-AMT is the hourly rate (division-factor = 1).

If the employee is paid daily (PER-PAYBASIS = "PD") then the division-factor will be equal to 8.

If none of the above then the division-factor is 2087.

### Misc. notes:

Date fields are formatted YYYYMMDD.

## WebTADS to NPPS File (INCOMING)

Field	Web 1 Abo to M 1 o 1 he (Moommto)			
Number	Length	Column	Input Data Field	Remarks
1	1	1	Record Identifier	Always '1'
2	10	2-11	FILLER	Spaces
3	4	12-15	NASA Center	Center where employee works
4	16	16-31	FILLER	Spaces
5	9	32-40	SSN	Employee's SSN
6	1	41	FILLER	Space
7	8	42-49	Pay Period End Date	Should equal the CTL-DATE on NPS2-PAYCTL-TABLE (CTLPAY PPED)
8	8	50-57	Employee Week Worked	Date used to determine the week that an employee worked relative to the current pay period (week 1 or week2).
9	10	58-67	Payroll Code	Currently 112 values listed in a separate document. These codes identify the types of hours related to field 10 below
10	7	68-74	Hourly Input	Positive only expected Column 72 will always be a decimal point. (0010.50 for 10 ½ hours)
11	16	75-90	FILLER	Spaces
12	1	91	Payroll Type Code	'R'
13	1	92	Data Collection Type	'T'
14	8	93-100	FILLER	Spaces

## WebTADS to NPPS File (INCOMING) Trailer

Field				
Number	Length	Column	Source Data Field	Remarks
1	1	1	Record Identifier	Always '2' for trailer record
2	16	2-17	Record type '1' count	Count of all record type '1' records
3	32	18-49	FILLER	Spaces
4	8	50-57	Creation Date	Date file was created (YYYYMMDD)
5	43	58-100	FILLER	Spaces

Note: The FILLER fields above need not be spaces. These fields will be ignored.

Record Identification codes other than "1" and "2", record codes "1" with a NASA center not in the Payroll Control Table, records with Payroll Type code not equal to "R" and/or Data collection types not equal to "T", as well as Payroll Codes that are not recognized will be ignored.

If the Pay period end date, field 7 above, of the first data record does not match the NPPS Pay ending date, CTL-DATE within NPPS, the batch update job will abort. The out-list will report these edits.

Fields 12 and 13 are not needed as far as NPPS is concerned. All the rest of the fields above are required by NPPS. The NPPS WebTADS interface program is currently checking for specific values, as noted, for these two fields.

The input data is edited for format when the data is loaded into NPPS file NPS2-PAY-TA-DATA. When the NPPS batch T&A job is executed, the data is then edited by all the NPPS T&A edits.

DATA SPECIFICATIONS FOR LONG TERM CARE STATUS FILE (LTC STATUS)

## LTC Status Header Record (one per center)

Field				
Number	Length	Column	Source Data Field	Remarks
1	N1	1	Record ID	Always 1
				system generated
2	N8	2-9	Creation Date	Current date
				MMDDCCYY
3	A72	10-81	File description	"NASA, 3 blanks, center name from TINSTALL, 3 blanks, payroll office number from TINSTALL"

### LTC STATUS DETAIL RECORD

Field Number	Length	Column	Source Data Field	Remarks
1	N1	1	Record type	Always 2
2	A9	2-10	Member SSN	Employee/retiree SSN
3	A9	11-19	Employee ID	Blanks
4	A20	20-39	Employee/retiree last name	
5	A15	40-54	Employee/retiree first name	
6	A1	55	Employee/retiree middle initial	
7	A1	56	Paycheck mode	'B'=biweekly
8	N8	57-64	Status change effective date	Pay period beginning date – MMDDYYYY
9	A1	65	Status change reason	
				'D'=Death (NOAC 350)
				'L'=Leave of absence (NOAC 430, 450, 452, 460, 471, 472, 473, 480)
				'R'=Retired with annuity (NOAC 300, 301, 302, 303, 304, 312)
				'S'=Retired w/o annuity (This code will not be used; not applicable to NASA)
				'T'=Separated from Service ( NOAC 317, 352, 353, 355, 356, 357, 385, 390, 330)
				'X'=Transfer out (NOAC 721T)
				'l'=Insufficient funds
				'U'=Unrecognized SSN
10	A8	66-73	Payroll office number	'O'=Other (change to direct billing) Payroll office number from TINSTALL for installation where employee is located

## SOURCE DATA SPECIFICATIONS FOR MARYLAND STATE W-2 INTERFACE FILE

## Maryland State WS "Tape" Specifications

Tape	Density	Rec Size	Blk Size	Rec Type	LABEL
MD W-2	6250	512	23040	FB	see JCL

Record Identifier	Remarks
RA	Submitter record
RE	Employer record for Maryland employees
RS	State Record
RT	Total Record
RF	Final record

MARYLAND STATE W-2 "TAPE" SPECIFICATIONS (RECORD IDENTIFIER "RA")					
Location	Field	Length	Specifications		
1-2	Record Identifier	2	'RA'		
3-11	EIN	9	Federal Tax W2 ID from Marshall TINSTALL		
12-28	Personal Identification Number	17	From Parameter Screen (PIN)		
29	Resubmit Indicator	1	From Parameter Screen		
30-35	Resubmit TLCN	6	From Parameter Screen		
36-37	Software Code	2	·98'		
38-94	Company Name	57	INSTALL-NAME		
95-116	Company Location Address	22	INSTALL-ADDR-FOR-SSA-TAPE-A		
117-138	Company Delivery Address	22	INSTALL-ADDR-FOR-SSA-TAPE-B		
139-160	Company City	22	INSTALL-ADDR-CITY		
161-162	Company State	2	INSTALL-ADDR-ST		
163-167	Company Zip	5	INSTALL-ADDR-ZIP (COL 1-5)		
168-171	Company Zip Extension	4	INSTALL-ADDR-ZIP (COL 6-9)		
172-176	Blank	5	Blanks		
177-199	Foreign State	23	Blanks		
200-214	Foreign Postal Code	15	Blanks		
215-216	Country Code	2	Blanks		
217-273	Submitter Name	57	INSTALL-NAME		
274-295	Submitter Address	22	INSTALL-ADDR-FOR-SSA-TAPE-A		
296-317	Submitter Delivery Address	22	INSTALL-ADDR-FOR-SSA-TAPE-B		
318-339	Submitter City	22	INSTALL-ADDR-CITY		
340-341	Submitter State	2	INSTALL-ADDR-ST		
342-346	Submitter Zip	5	INSTALL-ADDR-ZIP (COL 1-5)		
347-350	Submitter Zip Extension	4	INSTALL-ADDR-ZIP (COL 6-9)		
351-355	Blank	5	Blanks		
356-378	Submitter Foreign State	23	Blanks		
379-393	Submitter Foreign Postal Code	15	Blanks		
394-395	Submitter Country Code	2	Blanks		
396-422	Contact Name	27	INSTALL-TSP-CONTACT-NAME		
423-437	Contact Phone Number	15	INSTALL-TSP-CONTACT-PHONE (no hyphens)		
438-442	Contact Phone Extension	5	Blanks		
443-445	Blank	3	Blanks		
446-485	Contact E-mail	40	Blanks		
486-488	Blank	3	Blanks		
489-498	Contact FAX	10	From Parameter Screen (no hyphens)		
499	Preferred Method of Problem	1	'2' for notify of error by Postal Service		
500	Preparer Code	1	'L' for Self-Prepared		
501-512	Blank	12	Blanks		

Maryland State W-2 "Tape" Specifications (Record Identifier "RE")					
Location	Field	Length	Specifications		
1-2	Record Identifier	2	'RE'		
3-6	Tax Year	4	From Parameter screen		
7	Agent Indicator Code	1	Blank		
8-16	Employer EIN	9	Federal Tax W2 ID from Marshall TINSTALL		
17-25	Agent for EIN	9	Blanks		
26	Terminating Business Indicator	1	'0'		
27-30	Establishment Number	4	Blanks		
31-39	Other EIN	9	Blanks		
40-96	Employer Name	57	INSTALL-NAME		
97-118	Employer Address	22	INSTALL-ADDR-FOR-SSA-TAPE-A		
119-140	Employer Delivery Address	22	INSTALL-ADDR-FOR-SSA-TAPE-B		
141-162	Employer City	22	INSTALL-ADDR-CITY		
163-164	Employer State	2	INSTALL-ADDR-ST		
165-169	Employer Zip	5	INSTALL-ADDR-ZIP(COL 1-5)		
170-173	Employer Zip Extension	4	INSTALL-ADDR-ZIP(COL 6-9) TINSTALL		
174-178	Blank	5	Blanks		
179-201	Foreign State	23	Blanks		
202-216	Foreign Postal Code	15	Blanks		
217-218	Country Code	2	Blanks		
219	Employment Code	1	'Q' for Medicare Qualified Government		
220	Tax Jurisdiction Code	1	Blanks		
221	Third-Party Sick Pay Indicator	1	·O'		
222-512	Blank	291	Blanks		

Maryland State W-2 "Tape" Specifications (Record Identifier "RS")					
POSITION	FIELD NAME	LNTH	RECORD DESCRIPTION		
1-2	Record Type	2	Required. Constant "RS"		
3-9	Filler	7	Maryland does not use this field		
10-18	Social Security Number	9	Required.		
19-33	Employee First Name	15	Required. Left justify and fill with blanks		
34-48	Employee Middle Name or Initial	15	Required. Left justify and fill with blanks		
49-68	Employee Last Name	20	Required. Left justify and fill with blanks		
69-72	Filler	4	Maryland does not use this field		
73-94	Location Address	22	Required. Left justify and fill with blanks		
95-116	Delivery Address	22	Required. Left justify and fill with blanks		
117-138	City	22	Required. Left justify and fill with blanks		
139-140	State Abbreviation	2	Standard State Abbreviation		
141-145	Zip Code	5	Standard Federal Zip Code		
146-149	Zip Code Extension	4	Blank if not available		
150-273	Filler	124	Maryland does not use this field		
274-275	Maryland State Code	2	Constant "24" for Maryland		
276-286	Maryland State Taxable Wages	11	Required. Right justify and fill with zeros		
287-297	Maryland State Income Tax Withheld	11	Required. Total of state and local taxes withheld must be added together (do not report separate). Right justify and fill with zeros		
298-307	Maryland State Pickup	10	For use by Maryland State Retirement System. Right justify and fill with zeros		
308-337	Filler	30	Maryland does not use this field		
338-345	Maryland Central Registration Number	8	Required. 8 Digit Maryland Central Registration Number		
346-356	Wages, Tips & Other Compensation	11	Required. Same as SSA "RW" positions 188- 198 [GROSS-EARNINGS: YTD Compensation + PCS: ERNGS SUBJ FED TAX YTD - TSP: DEDUCTION TOTAL YTD - EMPL FEHB TAX EX FED YTD AMT (incl SLR) - TSP CATCHUP: YTD DED AMT - FSA HC: FED YTD DED - FSA DC: FED YTD DED]		
357-367	Federal Income Tax Withheld	11	Required. Same as "RW" positions 199-209 FEDERAL TAX: YTD + PCS FEDERAL TAX WITHHELD YTD		
368-512	Filler	145	Maryland does not use this field		

MARYLAND STATE W-2 "TAPE" SPECIFICATIONS (RECORD IDENTIFIER "RT")					
Location	Field	Length	Specifications		
1-2	Record Identifier	2	'RT'		
3-9	Zeroes	7	Zeroes		
10-24	Zeroes	15	Zeroes		
25-39	Zeroes	15	Zeroes		
40-54	Zeroes	15	Zeroes		
55-69	Zeroes	15	Zeroes		
70-84	Zeroes	15	Zeroes		
85-99	Zeroes	15	Zeroes		
100-114	Zeroes	15	Zeroes		
115-129	Zeroes	15	Zeroes		
130-144	Zeroes	15	Zeroes		
145-159	Zeroes	15	Zeroes		
160-174	Zeroes	15	Zeroes		
175-189	Zeroes	15	Zeroes		
190-204	Zeroes	15	Zeroes		
205-219	Zeroes	15	Zeroes		
220-234	Zeroes	15	Zeroes		
235-249	Zeroes	15	Zeroes		
250-264	Blank	15	Blanks		
265-279	Zeroes	15	Zeroes		
280-294	Blank	15	Blanks		
295-309	Blank	15	Blanks		
310-324	Zeroes	15	Zeroes		
325-339	Zeroes	15	Zeroes		
340-354	Zeroes	15	Zeroes		
355-512	Blank	158	Blanks		

Maryland State W-2 "Tape" Specifications (Record Identifier "RF")					
Location Field Length Specifications					
1-2	Record Identifier	2	'RF'		
3-512	Blank	511	Blanks		